

FIG. 1





FIG. 2



**FIG. 3****DTD FOR DESCRIBING CONTEXT DESCRIPTION DATA THROUGH  
USE OF XML**

```
<?xml version="1.0"?>
```

<!ELEMENT contents	(section+)>			
<!ATTLIST contents	contents-id	CDATA	#REQUIRED	
	title	CDATA	#REQUIRED	
	runtime	NMTOKEN	#REQUIRED	>
<!ELEMENT section	(section+ segment+)>			
<!ATTLIST section	caption	CDATA	#IMPLIED	
	priority	NMTOKEN	#REQUIRED	>
<!ELEMENT segment	EMPTY>			
<!ATTLIST segment	start	CDATA	#REQUIRED	
	end	CDATA	#REQUIRED	
	priority	NMTOKEN	#REQUIRED	>

**ONE EXAMPLE OF XML DOCUMENT RELATING TO CONTEXT DE  
SCRIPTION DATA PREPARED BY DTD**

```
<?xml version="1.0" encoding="euc-jp"?>
```

```
<!DOCTYPE contents SYSTEM "http://mserv.tri.mei.co.jp/SMML/progra  
m01.dtd">
```

```
<contents contents-id="urn:upi:mei:12345" title="GRAND SUMO TOUR  
NAMENT" runtime="11:42">
```

```
  <section caption="SUMO WRESTLER 0 VS. SUMO WRESTLER 1"  
    priority="5">
```

```
    <section priority="1">
```

```
      <segment start="smpte=00:00:00:00" end="smpte=00:00:04:17" p  
priority="1"/>
```

```
      <segment start="smpte=00:00:04:18" end="smpte=00:00:09:08" p  
priority="1"/>
```

```
    </section>
```

```
    <section priority="2">
```

```
      <segment start="smpte=00:00:09:09" end="smpte=00:00:14:13"
```

*FIG. 4*

```

priority="2"/>
  </section>
  <section priority="3">
    <segment start="smpte=00:00:14:14" end="smpte=00:00:19:19" p
priority="3"/>
  </section>
  <section priority="1">
    <segment start="smpte=00:00:19:20" end="smpte=00:00:22:19" p
priority="1"/>
  </section>
  <section priority="3">
    <segment start="smpte=00:00:22:20" end="smpte=00:00:28:10" p
priority="3"/>
    <segment start="smpte=00:00:28:11" end="smpte=00:00:30:28" p
priority="3"/>
    <segment start="smpte=00:00:30:29" end="smpte=00:00:43:11" p
priority="3"/>
  </section>
  <section priority="2">
    <segment start="smpte=00:00:43:12" end="smpte=00:00:46:20" p
priority="2"/>
  </section>
  <section priority="3">
    <segment start="smpte=00:00:46:21" end="smpte=00:00:57:09" p
priority="3"/>
  </section>
  <section priority="2">
    <segment start="smpte=00:00:57:10" end="smpte=00:01:00:28" p
priority="2"/>
  </section>
  <section priority="4">
    <segment start="smpte=00:01:00:29" end="smpte=00:01:14:14" p
priority="4"/>
  </section>
  <section priority="2">
    <segment start="smpte=00:01:14:15" end="smpte=00:01:24:20"

```



**FIG. 5**

```

priority="2"/>
  </section>
  <section priority="3">
    <segment start="smpte=00:01:24:21" end="smpte=00:01:39:26" p
priority="3"/>
  </section>
  <section priority="2">
    <segment start="smpte=00:01:39:27" end="smpte=00:01:52:09" p
priority="2"/>
    <segment start="smpte=00:01:52:10" end="smpte=00:02:02:16" p
priority="2"/>
    <segment start="smpte=00:02:02:17" end="smpte=00:02:31:09" p
priority="2"/>
    <segment start="smpte=00:02:31:10" end="smpte=00:02:47:18" p
priority="3"/>
  </section>
  <section priority="1">
    <segment start="smpte=00:02:47:19" end="smpte=00:02:59:03" p
priority="1"/>
    <segment start="smpte=00:02:59:04" end="smpte=00:03:07:14" p
priority="1"/>
  </section>
  <section priority="2">
    <segment start="smpte=00:03:07:15" end="smpte=00:03:13:28" p
priority="2"/>
    <segment start="smpte=00:03:13:29" end="smpte=00:03:21:28" p
priority="2"/>
    <segment start="smpte=00:03:21:29" end="smpte=00:03:33:15" p
priority="2"/>
    <segment start="smpte=00:03:33:16" end="smpte=00:03:47:00" p
priority="2"/>
    <segment start="smpte=00:03:47:01" end="smpte=00:03:58:14" p
priority="2"/>
    <segment start="smpte=00:03:58:15" end="smpte=00:04:12:27" p
priority="2"/>
  </section>

```

**FIG. 6**

```

    <section priority="3">
      <segment start="smpte=00:04:12:28" end="smpte=00:04:20:01" p
priority="3"/>
    </section>
    <section priority="4">
      <segment start="smpte=00:04:20:02" end="smpte=00:04:31:05" p
priority="4"/>
      <segment start="smpte=00:04:31:06" end="smpte=00:04:34:28" p
priority="4"/>
      <segment start="smpte=00:04:34:29" end="smpte=00:04:37:06" p
priority="4"/>
    </section>
    <section priority="5">
      <segment start="smpte=00:04:37:07" end="smpte=00:04:57:05" p
priority="5"/>
    </section>
    <section priority="5">
      <segment start="smpte=00:04:57:06" end="smpte=00:05:00:02" p
priority="5"/>
      <segment start="smpte=00:05:00:03" end="smpte=00:05:02:06" p
priority="4"/>
    </section>
    <section priority="2">
      <segment start="smpte=00:05:02:07" end="smpte=00:05:04:16" p
priority="2"/>
    </section>
    <section priority="4">
      <segment start="smpte=00:05:04:17" end="smpte=00:05:13:25" p
priority="4"/>
      <segment start="smpte=00:05:13:26" end="smpte=00:05:17:01" p
priority="4"/>
      <segment start="smpte=00:05:17:02" end="smpte=00:05:23:21" p
priority="3"/>
      <segment start="smpte=00:05:23:22" end="smpte=00:05:44:15" p
priority="4"/>
      <segment start="smpte=00:05:44:16" end="smpte=00:05:50:27"

```

## FIG. 7

7/242

```
priority="4"/>
    <segment start="smpte=00:05:50:28" end="smpte=00:06:08:15" p
priority="4"/>
    <segment start="smpte=00:06:08:16" end="smpte=00:06:18:05" p
priority="4"/>
    <segment start="smpte=00:06:18:06" end="smpte=00:06:24:04" p
priority="4"/>
    <segment start="smpte=00:06:24:05" end="smpte=00:06:41:04" p
priority="4"/>
</section>
</section>
<section caption="SUMO WRESTLER 2 VS. SUMO WRESTLER 3"
priority="4">
    <section priority="4">
        <segment start="smpte=00:06:18:05" end="smpte=00:07:00:24" p
priority="4"/>
    </section>
    <section priority="3">
        <segment start="smpte=00:07:00:25" end="smpte=00:07:15:21" p
priority="3"/>
    </section>
    <section priority="2">
        <segment start="smpte=00:07:15:22" end="smpte=00:07:39:26" p
priority="1"/>
        <segment start="smpte=00:07:39:27" end="smpte=00:07:46:02" p
priority="2"/>
        <segment start="smpte=00:07:46:03" end="smpte=00:07:53:17" p
priority="2"/>
        <segment start="smpte=00:07:53:18" end="smpte=00:08:01:21" p
priority="2"/>
        <segment start="smpte=00:08:01:22" end="smpte=00:08:18:02" p
priority="2"/>
        <segment start="smpte=00:08:18:03" end="smpte=00:08:39:05" p
priority="2"/>
        <segment start="smpte=00:08:39:06" end="smpte=00:08:47:06" p
priority="2"/>
        <segment start="smpte=00:08:47:07" end="smpte=00:09:03:27"
```

*FIG. 8*

```

priority="2"/>
  <segment start="smpte=00:09:03:28" end="smpte=00:09:07:20" p
riority="2"/>
</section>
<section priority="3">
  <segment start="smpte=00:09:07:21" end="smpte=00:09:16:26" p
riority="3"/>
  <segment start="smpte=00:09:16:27" end="smpte=00:09:20:25" p
riority="3"/>
</section>
<section priority="4">
  <segment start="smpte=00:09:20:26" end="smpte=00:09:22:27" p
riority="4"/>
</section>
<section priority="5">
  <segment start="smpte=00:09:22:28" end="smpte=00:09:48:11" p
riority="5"/>
</section>
<section priority="4">
  <segment start="smpte=00:09:48:12" end="smpte=00:09:51:27" p
riority="4"/>
</section>
<section priority="3">
  <segment start="smpte=00:09:51:28" end="smpte=00:09:57:01" p
riority="3"/>
  <segment start="smpte=00:09:57:02" end="smpte=00:10:12:21" p
riority="3"/>
</section>
<section priority="4">
  <segment start="smpte=00:10:12:22" end="smpte=00:10:41:17" p
riority="4"/>
</section>
<section priority="3">
  <segment start="smpte=00:10:41:18" end="smpte=00:11:28:17" p
riority="3"/>
</section>

```

**FIG. 9**

```
<section priority="1">  
  <segment start="smpte=00:11:28:18" end="smpte=00:11:41:29" pr  
riority="1"/>  
  </section>  
</section>  
</contents>
```

# FIG. 10

10/242

FOR DESCRIBING CONTEXT DESCRIPTION DATA THROUGH USE OF XML

```
<?xml version="1.0"?>
```

<!ELEMENT	contents	(section+)>		
<!ATTLIST	contents	contents-id	CDATA	#REQUIRED
		title	CDATA	#REQUIRED
		runtime	NMTOKEN	#REQUIRED>
<!ELEMENT	section	(section+ segment+)>		
<!ATTLIST	section	section-id	CDATA	#REQUIRED
		caption	CDATA	#IMPLIED
		priority	NMTOKEN	#REQUIRED>
<!ELEMENT	segment	(dominant-data*)>		
<!ATTLIST	segment	start	CDATA	#REQUIRED
		end	CDATA	#REQUIRED
		priority	NMTOKEN	#REQUIRED>
<!ELEMENT	dominant-data	EMPTY>		
<!ATTLIST	dominant-data	frame-no	NMTOKEN	#IMPLIED
		start	CDATA	#IMPLIED
		end	CDATA	#IMPLIED
		locator	CDATA	#IMPLIED>

ONE EXAMPLE OF XML DOCUMENT RELATING TO CONTEXT DESCRIPTION DATA PREPARED BY DTD

```
<?xml version="1.0" encoding="euc-jp"?>
```

```
<!DOCTYPE contents SYSTEM "http://mserv.tri.mei.co.jp/SMML/program03.dtd">
```

```
<contents contents-id="urn:upi:mei:12345" title="GRAND SUMO TOUR NAMENT" runtime="11:42">
```

```
  <section caption="SUMO WRESTLER 0 VS. SUMO WRESTLER 1" priority="5">
```

```
    <section priority="1">
```

```
      <segment start="smpte=00:00:00:00" end="smpte=00:00:04:17" priority="1">
```

```
        <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp01.gif"/>
```

```
        <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma01.mp3"/>
```

```
      <segment start="smpte=00:00:04:18" end="smpte=00:00:09:08" priority="1">
```

```
        <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp02.gif"/>
```

**FIG. 11**

```

        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma02.m
p3"/>
    </segment>
</section>
    <section priority="2">
        <segment start="smpte=00:00:09:09" end="smpte=00:00:14:13" p
riority="2">
            <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp03.gi
f"/>
            <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma03.m
p3"/>
        </segment>
    </section>
    <section priority="3">
        <segment start="smpte=00:00:14:14" end="smpte=00:00:19:19" p
riority="3">
            <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp04.gi
f"/>
            <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma04.m
p3"/>
        </segment>
    </section>
    <section priority="1">
        <segment start="smpte=00:00:19:20" end="smpte=00:00:22:19" p
riority="1">
            <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp05.gi
f"/>
            <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma05.m
p3"/>
        </segment>
    </section>
    <section priority="3">
        <segment start="smpte=00:00:22:20" end="smpte=00:00:28:10" p
riority="3">
            <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp06.gi
f"/>
            <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma06.m
p3"/>
        <segment start="smpte=00:00:28:11" end="smpte=00:00:30:28" p
riority="3">
            <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp07.gi
f"/>
            <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma07.m
p3"/>

```

**FIG. 12**

```

    <segment start="smpte=00:00:30:29" end="smpte=00:00:43:11" p
riority="3">
        <dominant-data start="smpte=00:00:31:20" end="smpte=00:00:
35:05"/>
    </segment>
</section>
<section priority="2">
    <segment start="smpte=00:00:43:12" end="smpte=00:00:46:20" p
riority="2">
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp08.gi
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma08.m
p3"/>
    </segment>
</section>
<section priority="3">
    <segment start="smpte=00:00:46:21" end="smpte=00:00:57:09" p
riority="3">
        <dominant-data start="smpte=00:00:47:00" end="smpte=00:00:
50:03"/>
    </segment>
</section>
<section priority="2">
    <segment start="smpte=00:00:57:10" end="smpte=00:01:00:28" p
riority="2">
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp09.gi
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma09.m
p3"/>
    </segment>
</section>
<section priority="4">
    <segment start="smpte=00:01:00:29" end="smpte=00:01:14:14" p
riority="4">
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp10.gi
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma10.m
p3"/>
    </segment>
</section>
<section priority="2">
    <segment start="smpte=00:01:14:15" end="smpte=00:01:24:20" p
riority="2">
        <dominant-data start="smpte=00:01:15:20" end="smpte=00:01:
19:03"/>

```



```

        </segment>
    </section>
    <section priority="3">
        <segment start="smpte=00:01:24:21" end="smpte=00:01:39:26" p
riority="3">
            <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp11.gi
f"/>
            <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma11.m
p3"/>
        </segment>
    </section>
    <section priority="2">
        <segment start="smpte=00:01:39:27" end="smpte=00:01:52:09" p
riority="2">
            <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp12.gi
f"/>
            <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma12.m
p3"/>
        </segment>
        <segment start="smpte=00:01:52:10" end="smpte=00:02:02:16" p
riority="2">
            <dominant-data start="smpte=00:01:52:20" end="smpte=00:01:
55:10"/>
        </segment>
        <segment start="smpte=00:02:02:17" end="smpte=00:02:31:09" p
riority="2">
            <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp13.gi
f"/>
            <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma13.m
p3"/>
        </segment>
        <segment start="smpte=00:02:31:10" end="smpte=00:02:47:18" p
riority="3">
            <dominant-data start="smpte=00:02:31:20" end="smpte=00:02:
38:11"/>
        </segment>
    </section>
    <section priority="1">
        <segment start="smpte=00:02:47:19" end="smpte=00:02:59:03" p
riority="1">
            <dominant-data start="smpte=00:02:47:25" end="smpte=00:02:
48:02"/>
        </segment>
        <segment start="smpte=00:02:59:04" end="smpte=00:03:07:14"

```

**FIG. 14**

```

priority="1">
  <dominant-data start="smpte=00:02:59:10" end="smpte=00:03:
02:12"/>
  </segment>
</section>
<section priority="2">
  <segment start="smpte=00:03:07:15" end="smpte=00:03:13:28" p
riority="2">
    <dominant-data start="smpte=00:03:08:12" end="smpte=00:03:
10:20"/>
    </segment>
    <segment start="smpte=00:03:13:29" end="smpte=00:03:21:28" p
riority="2">
      <dominant-data start="smpte=00:03:15:10" end="smpte=00:03:
18:03"/>
      </segment>
      <segment start="smpte=00:03:21:29" end="smpte=00:03:33:15" p
riority="2">
        <dominant-data start="smpte=00:03:22:08" end="smpte=00:03:
25:02"/>
        </segment>
        <segment start="smpte=00:03:33:16" end="smpte=00:03:47:00" p
riority="2">
          <dominant-data start="smpte=00:03:35:09" end="smpte=00:03:
38:21"/>
          </segment>
          <segment start="smpte=00:03:47:01" end="smpte=00:03:58:14" p
riority="2">
            <dominant-data start="smpte=00:03:48:00" end="smpte=00:03:
51:17"/>
            </segment>
            <segment start="smpte=00:03:58:15" end="smpte=00:04:12:27" p
riority="2">
              <dominant-data start="smpte=00:03:59:02" end="smpte=00:04:
01:07"/>
              </segment>
            </section>
          <section priority="3">
            <segment start="smpte=00:04:12:28" end="smpte=00:04:20:01" p
riority="3">
              <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp14.gi
f"/>
              <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma14.m
p3"/>

```

**FIG. 15**

```

        </segment>
    </section>
    <section priority="4">
        <segment start="smpte=00:04:20:02" end="smpte=00:04:31:05" p
riority="4">
            <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp15.gi
f"/>
            <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma15.m
p3"/>
        </segment>
        <segment start="smpte=00:04:31:06" end="smpte=00:04:34:28" p
riority="4">
            <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp16.gi
f"/>
            <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma16.m
p3"/>
        </segment>
        <segment start="smpte=00:04:34:29" end="smpte=00:04:37:06" p
riority="4">
            <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp17.gi
f"/>
            <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma17.m
p3"/>
        </segment>
    </section>
    <section priority="5">
        <segment start="smpte=00:04:37:07" end="smpte=00:04:57:05" p
riority="5">
            <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp18.gi
f"/>
            <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma18.m
p3"/>
        </segment>
    </section>
    <section priority="5">
        <segment start="smpte=00:04:57:06" end="smpte=00:05:00:02" p
riority="5">
            <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp19.gi
f"/>
            <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma19.m
p3"/>
        </segment>
        <segment start="smpte=00:05:00:03" end="smpte=00:05:02:06" p
riority="4">

```

**FIG. 16**

```

    <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp20.gi
f"/>
    <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma20.m
p3"/>
    </segment>
  </section>
  <section priority="2">
    <segment start="smpte=00:05:02:07" end="smpte=00:05:04:16" p
riority="2">
      <dominant-data start="smpte=00:05:03:02" end="smpte=00:05:
02:20"/>
    </segment>
  </section>
  <section priority="4">
    <segment start="smpte=00:05:04:17" end="smpte=00:05:13:25" p
riority="4">
      <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp21.gi
f"/>
      <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma21.m
p3"/>
    </segment>
    <segment start="smpte=00:05:13:26" end="smpte=00:05:17:01" p
riority="4">
      <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp22.gi
f"/>
      <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma22.m
p3"/>
    </segment>
    <segment start="smpte=00:05:17:02" end="smpte=00:05:23:21" p
riority="3">
      <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp23.gi
f"/>
      <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma23.m
p3"/>
    </segment>
    <segment start="smpte=00:05:23:22" end="smpte=00:05:44:15" p
riority="4">
      <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp24.gi
f"/>
      <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma24.m
p3"/>
    </segment>
    <segment start="smpte=00:05:44:16" end="smpte=00:05:50:27" p
riority="4">

```

```

        <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp25.gif"/>
        <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma25.mp3"/>
    </segment>
    <segment start="smpte=00:05:50:28" end="smpte=00:06:08:15" priority="4">
        <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp26.gif"/>
        <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma26.mp3"/>
    </segment>
    <segment start="smpte=00:06:08:16" end="smpte=00:06:18:05" priority="4">
        <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp27.gif"/>
        <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma27.mp3"/>
    </segment>
    <segment start="smpte=00:06:18:06" end="smpte=00:06:24:04" priority="4">
        <dominant-data start="smpte=00:06:18:25" end="smpte=00:06:20:17"/>
    </segment>
    <segment start="smpte=00:06:24:05" end="smpte=00:06:41:04" priority="4">
        <dominant-data start="smpte=00:06:25:01" end="smpte=00:06:30:11"/>
    </segment>
</section>
</section>
<section caption="SUMO WRESTLER 2 VS. SUMO WRESTLER 3" priority="4">
    <section priority="4">
        <segment start="smpte=00:06:18:05" end="smpte=00:07:00:24" priority="4">
            <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp28.gif"/>
            <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma28.mp3"/>
        </segment>
    </section>
    <section priority="3">
        <segment start="smpte=00:07:00:25" end="smpte=00:07:15:21" priority="3">

```

**FIG. 18**

```

    <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp29.gif"/>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma29.mp3"/>
  </segment>
</section>
<section priority="2">
  <segment start="smpte=00:07:15:22" end="smpte=00:07:39:26" priority="1">
    <dominant-data start="smpte=00:07:16:05" end="smpte=00:07:18:23"/>
  </segment>
  <segment start="smpte=00:07:39:27" end="smpte=00:07:46:02" priority="2">
    <dominant-data start="smpte=00:07:41:28" end="smpte=00:07:43:01"/>
  </segment>
  <segment start="smpte=00:07:46:03" end="smpte=00:07:53:17" priority="2">
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp30.gif"/>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma30.mp3"/>
  </segment>
  <segment start="smpte=00:07:53:18" end="smpte=00:08:01:21" priority="2">
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp31.gif"/>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma31.mp3"/>
  </segment>
  <segment start="smpte=00:08:01:22" end="smpte=00:08:18:02" priority="2">
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp32.gif"/>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma32.mp3"/>
  </segment>
  <segment start="smpte=00:08:18:03" end="smpte=00:08:39:05" priority="2">
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp33.gif"/>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma33.mp3"/>
  </segment>

```

FIG. 19

```

        </segment>
        <segment start="smpte=00:08:39:06" end="smpte=00:08:47:06" p
priority="2">
            <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp34.gi
f"/>
            <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma34.m
p3"/>
        </segment>
        <segment start="smpte=00:08:47:07" end="smpte=00:09:03:27" p
priority="2">
            <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp35.gi
f"/>
            <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma35.m
p3"/>
        </segment>
        <segment start="smpte=00:09:03:28" end="smpte=00:09:07:20" p
priority="2">
            <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp36.gi
f"/>
            <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma36.m
p3"/>
        </segment>
    </section>
    <section priority="3">
        <segment start="smpte=00:09:07:21" end="smpte=00:09:16:26" p
riority="3">
            <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp37.gi
f"/>
            <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma37.m
p3"/>
        </segment>
        <segment start="smpte=00:09:16:27" end="smpte=00:09:20:25" p
riority="3">
            <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp38.gi
f"/>
            <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma38.m
p3"/>
        </segment>
    </section>
    <section priority="4">
        <segment start="smpte=00:09:20:26" end="smpte=00:09:22:27" p
riority="4">
            <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp39.gi
f"/>

```

*FIG. 20*

```

        <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma39.m
p3"/>
    </segment>
</section>
    <section priority="5">
        <segment start="smpte=00:09:22:28" end="smpte=00:09:48:11" p
riority="5">
            <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp40.gi
f"/>
            <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma40.m
p3"/>
        </segment>
    </section>
    <section priority="4">
        <segment start="smpte=00:09:48:12" end="smpte=00:09:51:27" p
riority="4">
            <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp41.gi
f"/>
            <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma41.m
p3"/>
        </segment>
    </section>
    <section priority="3">
        <segment start="smpte=00:09:51:28" end="smpte=00:09:57:01" p
riority="3">
            <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp42.gi
f"/>
            <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma42.m
p3"/>
        </segment>
        <segment start="smpte=00:09:57:02" end="smpte=00:10:12:21" p
riority="3">
            <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp43.gi
f"/>
            <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma43.m
p3"/>
        </segment>
    </section>
    <section priority="4">
        <segment start="smpte=00:10:12:22" end="smpte=00:10:41:17" p
riority="4">
            <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp44.gi
f"/>
            <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma44.

```



**FIG. 21**

```

mp3"/>
    </segment>
  </section>
  <section priority="3">
    <segment start="smpte=00:10:41:18" end="smpte=00:11:28:17" p
riority="3">
      <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp45.gi
f"/>
      <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma45.m
p3"/>
    </segment>
  </section>
  <section priority="1">
    <segment start="smpte=00:11:28:18" end="smpte=00:11:41:29" pr
iority="1">
      <dominant-data start="smpte=00:11:29:13" end="smpte=11:32:2
1"/>
    </segment>
  </section>
</section>
</contents>

```


**FIG. 22**

FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31






FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36




FIG. 37





FIG. 38



ONE EXAMPLE OF DTD USED FOR DESCRIBING STRUCTURE DE  
SCRIPTION DATA

```
<?xml version="1.0"?>

<!ENTITY %   types "(audio|video|audiovideo)">
<!ENTITY %   formats "(mpeg1-system|mpeg1-video|mpeg-audio|mpeg
2-ps|mpeg2-ts|mpeg2-video)">
<!ELEMENT contents      (mediaobject+)>
<!ATTLIST  contents      contents-id  CDATA      #REQUIRED
                                title      CDATA      #REQUIRED
                                runtime     NMTOKEN   #REQUIRED>
<!ELEMENT mediaobject EMPTY>
<!ATTLIST  mediaobject id          CDATA      #REQUIRED
                                type      %types;    "audiovideo"
                                format    %formats;  #REQUIRED
                                seq       NMTOKEN   #REQUIRED
                                locator   CDATA      #REQUIRED>
```

ONE EXAMPLE OF XML DOCUMENT RELATING TO PHYSICAL DE  
SCRIPTION DATA

```
<?xml version="1.0" encoding="euc-jp"?>
<!DOCTYPE contents SYSTEM "http://mserv.tri.mei.co.jp/SMML/progra
m06.dtd">

<contents contents-id="urn:upi:mei:12345" title="GRAND SUMO TOUR
NAMENT" runtime="11:42">
  <mediaobject id="mobj-01" type="audiovideo" format="mpeg1-system"
    seq="1" locator="sumou01.mpg"/>
  <mediaobject id="mobj-02" type="audiovideo" format="mpeg1-system"
    seq="2" locator="sumou02.mpg"/>
</contents>
```



## ONE EXAMPLE OF DTD USED FOR DESCRIBING CONTEXT DESCRIPTION DATA

```
<?xml version="1.0"?>
```

```
<!ELEMENT contents      (mediaobject+)>
<!ATTLIST  contents      contents-id  CDATA      #REQUIRED
                                     title    CDATA      #REQUIRED
                                     runtime  NMTOKEN   #REQUIRED>

<!ELEMENT mediaobject    (section+)>
<!ATTLIST  mediaobject    id           CDATA      #REQUIRED>
<!ELEMENT  section        (section+|segment+)>
<!ATTLIST  section        caption     CDATA      #IMPLIED
                                     priority NMTOKEN   #REQUIRED>

<!ELEMENT  segment        EMPTY>
<!ATTLIST  segment        start       CDATA      #REQUIRED
                                     end       CDATA      #REQUIRED
                                     priority  NMTOKEN   #REQUIRED>
```

## ONE EXAMPLE OF XML DOCUMENT RELATING TO STRUCTURE DESCRIPTION DATA

```
<?xml version="1.0" encoding="euc-jp"?>
<!DOCTYPE contents SYSTEM "http://mserv.tri.mei.co.jp/SMML/progra
m07.dtd">
```

```
<contents contents-id="urn:upi:mei:12345" title="GRAND SUMO TOUR
NAMENT
" runtime="11:42">
  <mediaobject id="obj-01">
    <section caption="SUMO WRESTLER 0 VS. SUMO WRESTLER
1 " priority="5">
      <section priority="1">
        <segment start="smpte=00:00:00:00" end="smpte=00:00:04:17"
priority="1"/>
        <segment start="smpte=00:00:04:18" end="smpte=00:00:09:08"
priority="1"/>
      </section>
      <section priority="2">
        <segment start="smpte=00:00:09:09" end="smpte=00:00:14:13"
priority="2"/>
      </section>
      <section priority="3">
        <segment start="smpte=00:00:14:14" end="smpte=00:00:19:19
```

```
" priority="3"/>
  </section>
  <section priority="1">
    <segment start="smpte=00:00:19:20" end="smpte=00:00:22:19"
priority="1"/>
  </section>
  <section priority="3">
    <segment start="smpte=00:00:22:20" end="smpte=00:00:28:10"
priority="3"/>
    <segment start="smpte=00:00:28:11" end="smpte=00:00:30:28"
priority="3"/>
    <segment start="smpte=00:00:30:29" end="smpte=00:00:43:11"
priority="3"/>
  </section>
  <section priority="2">
    <segment start="smpte=00:00:43:12" end="smpte=00:00:46:20"
priority="2"/>
  </section>
  <section priority="3">
    <segment start="smpte=00:00:46:21" end="smpte=00:00:57:09"
priority="3"/>
  </section>
  <section priority="2">
    <segment start="smpte=00:00:57:10" end="smpte=00:01:00:28"
priority="2"/>
  </section>
  <section priority="4">
    <segment start="smpte=00:01:00:29" end="smpte=00:01:14:14"
priority="4"/>
  </section>
  <section priority="2">
    <segment start="smpte=00:01:14:15" end="smpte=00:01:24:20"
priority="2"/>
  </section>
  <section priority="3">
    <segment start="smpte=00:01:24:21" end="smpte=00:01:39:26"
priority="3"/>
  </section>
  <section priority="2">
    <segment start="smpte=00:01:39:27" end="smpte=00:01:52:09"
priority="2"/>
    <segment start="smpte=00:01:52:10" end="smpte=00:02:02:16"
priority="2"/>
    <segment start="smpte=00:02:02:17" end="smpte=00:02:31:09"
priority="2"/>
```

**FIG. 42**

```

        <segment start="smpte=00:02:31:10" end="smpte=00:02:47:18"
priority="3"/>
    </section>
    <section priority="1">
        <segment start="smpte=00:02:47:19" end="smpte=00:02:59:03"
priority="1"/>
        <segment start="smpte=00:02:59:04" end="smpte=00:03:07:14"
priority="1"/>
    </section>
    <section priority="2">
        <segment start="smpte=00:03:07:15" end="smpte=00:03:13:28"
priority="2"/>
        <segment start="smpte=00:03:13:29" end="smpte=00:03:21:28"
priority="2"/>
        <segment start="smpte=00:03:21:29" end="smpte=00:03:33:15"
priority="2"/>
        <segment start="smpte=00:03:33:16" end="smpte=00:03:47:00"
priority="2"/>
        <segment start="smpte=00:03:47:01" end="smpte=00:03:58:14"
priority="2"/>
        <segment start="smpte=00:03:58:15" end="smpte=00:04:12:27"
priority="2"/>
    </section>
    <section priority="3">
        <segment start="smpte=00:04:12:28" end="smpte=00:04:20:01"
priority="3"/>
    </section>
    <section priority="4">
        <segment start="smpte=00:04:20:02" end="smpte=00:04:31:05"
priority="4"/>
        <segment start="smpte=00:04:31:06" end="smpte=00:04:34:28"
priority="4"/>
        <segment start="smpte=00:04:34:29" end="smpte=00:04:37:06"
priority="4"/>
    </section>
    <section priority="5">
        <segment start="smpte=00:04:37:07" end="smpte=00:04:57:05"
priority="5"/>
    </section>
    <section priority="5">
        <segment start="smpte=00:04:57:06" end="smpte=00:05:00:02"
priority="5"/>
        <segment start="smpte=00:05:00:03" end="smpte=00:05:02:06"
priority="4"/>
    </section>

```

## FIG. 43

```

    <section priority="2">
      <segment start="smpte=00:05:02:07" end="smpte=00:05:04:16"
priority="2"/>
    </section>
    <section priority="4">
      <segment start="smpte=00:05:04:17" end="smpte=00:05:13:25"
priority="4"/>
      <segment start="smpte=00:05:13:26" end="smpte=00:05:17:01"
priority="4"/>
      <segment start="smpte=00:05:17:02" end="smpte=00:05:23:21"
priority="3"/>
      <segment start="smpte=00:05:23:22" end="smpte=00:05:44:15"
priority="4"/>
      <segment start="smpte=00:05:44:16" end="smpte=00:05:50:27"
priority="4"/>
      <segment start="smpte=00:05:50:28" end="smpte=00:06:08:15"
priority="4"/>
      <segment start="smpte=00:06:08:16" end="smpte=00:06:18:05"
priority="4"/>
      <segment start="smpte=00:06:18:06" end="smpte=00:06:24:04"
priority="4"/>
      <segment start="smpte=00:06:24:05" end="smpte=00:06:41:04"
priority="4"/>
    </section>
  </section>
</mediaobject>
<mediaobject id="mobj-02">
  <section caption="SUMO WRESTLER 2 VS. SUMO WRESTLER
3" priority="4">
    <section priority="4">
      <segment start="smpte=00:00:00:00" end="smpte=00:00:42:24"
priority="4"/>
    </section>
    <section priority="3">
      <segment start="smpte=00:00:42:25" end="smpte=00:00:57:21"
priority="3"/>
    </section>
    <section priority="2">
      <segment start="smpte=00:00:57:22" end="smpte=00:01:21:26"
priority="1"/>
      <segment start="smpte=00:01:21:27" end="smpte=00:01:28:02"
priority="2"/>
      <segment start="smpte=00:01:28:03" end="smpte=00:01:35:17"
priority="2"/>
      <segment start="smpte=00:01:35:18" end="smpte=00:01:43:21

```

**FIG. 44**

```

" priority="2"/>
    <segment start="smpte=00:01:43:22" end="smpte=00:02:00:02"
priority="2"/>
    <segment start="smpte=00:02:00:03" end="smpte=00:02:21:05"
priority="2"/>
    <segment start="smpte=00:02:21:06" end="smpte=00:02:29:06"
priority="2"/>
    <segment start="smpte=00:02:29:07" end="smpte=00:02:45:27"
priority="2"/>
    <segment start="smpte=00:02:45:28" end="smpte=00:02:49:20"
priority="2"/>
    </section>
    <section priority="3">
        <segment start="smpte=00:02:49:21" end="smpte=00:02:58:26"
priority="3"/>
        <segment start="smpte=00:02:58:27" end="smpte=00:03:02:25"
priority="3"/>
    </section>
    <section priority="4">
        <segment start="smpte=00:03:02:26" end="smpte=00:03:04:27"
priority="4"/>
    </section>
    <section priority="5">
        <segment start="smpte=00:03:04:28" end="smpte=00:03:30:11"
priority="5"/>
    </section>
    <section priority="4">
        <segment start="smpte=00:03:30:12" end="smpte=00:03:33:27"
priority="4"/>
    </section>
    <section priority="3">
        <segment start="smpte=00:03:33:28" end="smpte=00:03:39:01"
priority="3"/>
        <segment start="smpte=00:03:39:02" end="smpte=00:03:54:21"
priority="3"/>
    </section>
    <section priority="4">
        <segment start="smpte=00:03:54:22" end="smpte=00:04:23:17"
priority="4"/>
    </section>
    <section priority="3">
        <segment start="smpte=00:04:23:18" end="smpte=00:05:10:17"
priority="3"/>
    </section>
    <section priority="1">

```

**FIG. 45**

```
<segment start="smpte=00:05:10:18" end="smpte=00:05:23:29"
priority="1"/>
</section>
</section>
</mediaobject>
</contents>
```

**FIG. 46**

id="mobj-01"	start="smpte=00:01:00:29"	end="smpte=00:01:14:14"
id="mobj-01"	start="smpte=00:04:20:02"	end="smpte=00:05:02:06"
id="mobj-01"	start="smpte=00:05:04:17"	end="smpte=00:06:41:04"
id="mobj-02"	start="smpte=00:00:00:00"	end="smpte=00:00:42:24"
id="mobj-02"	start="smpte=00:03:02:26"	end="smpte=00:03:33:27"
id="mobj-02"	start="smpte=00:03:54:22"	end="smpte=00:04:23:17"

FIG. 47





FIG. 48





**FIG. 49**

```
id="mobj-01"
  start="smpte=00:01:00:29" end="smpte=00:01:14:14"
  start="smpte=00:04:20:02" end="smpte=00:05:02:06"
  start="smpte=00:05:04:17" end="smpte=00:06:41:04"
id="mobj-02"
  start="smpte=00:00:00:00" end="smpte=00:00:42:24"
  start="smpte=00:03:02:26" end="smpte=00:03:33:27"
  start="smpte=00:03:54:22" end="smpte=00:04:23:17"
```

FIG. 50




FIG. 51




FIG. 52




FIG. 53




FIG. 54




FIG. 55




FIG. 56




FIG. 57




FIG. 58

52/242

ONE EXAMPLE OF DTD TO BE USED FOR DESCRIBING CONTEXT DESCRIPTION DATA IN XML

```
<?xml version="1.0"?>

<!ELEMENT contents      (section+)>
<!ATTLIST  contents      contents-id  CDATA      #REQUIRED
                                title    CDATA      #REQUIRED
                                runtime   NMTOKEN   #REQUIRED>

<!ELEMENT section       (pointofview*, (section+|segment+))>
<!ATTLIST  section       caption     CDATA      #IMPLIED>
<!ELEMENT segment       (pointofview*)>
<!ATTLIST  segment       start       CDATA      #REQUIRED
                                end      CDATA      #REQUIRED>

<!ELEMENT pointofview    EMPTY>
<!ATTLIST  pointofview    keyword     CDATA      #REQUIRED
                                priority  NMTOKEN   #REQUIRED>
```

ONE EXAMPLE OF XML DOCUMENT RELATING TO CONTEXT DESCRIPTION DATA PREPARED BY DTD

```
<?xml version="1.0" encoding="euc-jp"?>
<!DOCTYPE contents SYSTEM "http://mserv.tri.mei.co.jp/SMML/program02.dtd">

<contents contents-id="urn:upi:mei:12345" title="GRAND SUMO TOUR
NAMENT" runtime="11:42">
  <section caption="SUMO WRESTLER 0 VS. SUMO WRESTLER 1
">
    <pointofview keyword="SUMO WRESTLER 0" priority="5"/>
    <pointofview keyword="SUMO WRESTLER 1" priority="5"/>
    <section>
      <pointofview keyword="SUMO WRESTLER 4" priority="1"/>
      <segment start="smpte=00:00:00:00" end="smpte=00:00:04:17">
        </segment>
      </section>
    <section>
      <segment start="smpte=00:00:04:18" end="smpte=00:00:09:08">
        </segment>
      </section>
    <section>
      <pointofview keyword="SUMO WRESTLER 0" priority="4"/>
      <segment start="smpte=00:00:09:09" end="smpte=00:00:14:13">
```



```
</segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="3"/>
  <pointofview keyword="SUMO WRESTLER1" priority="3"/>
  <segment start="smpte=00:00:14:14" end="smpte=00:00:19:19">
    <pointofview keyword="SUMO WRESTLER0" priority="3"/>
    <pointofview keyword="SUMO WRESTLER1" priority="3"/>
  </segment>
  <segment start="smpte=00:00:19:20" end="smpte=00:00:22:19">
    <pointofview keyword="SUMO WRESTLER0" priority="1"/>
  </segment>
  <segment start="smpte=00:00:22:20" end="smpte=00:00:28:10">
    <pointofview keyword="SUMO WRESTLER0" priority="3"/>
    <pointofview keyword="SUMO WRESTLER1" priority="3"/>
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="3"/>
  <pointofview keyword="SUMO WRESTLER4" priority="2"/>
  <segment start="smpte=00:00:28:11" end="smpte=00:00:30:28">
    <pointofview keyword="SUMO WRESTLER0" priority="3"/>
    <pointofview keyword="SUMO WRESTLER4" priority="2"/>
  </segment>
  <segment start="smpte=00:00:30:29" end="smpte=00:00:43:11">
    <pointofview keyword="SUMO WRESTLER0" priority="3"/>
    <pointofview keyword="SUMO WRESTLER4" priority="1"/>
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="3"/>
  <pointofview keyword="SUMO WRESTLER1" priority="3"/>
  <segment start="smpte=00:00:43:12" end="smpte=00:00:46:20">
    <pointofview keyword="SUMO WRESTLER0" priority="3"/>
    <pointofview keyword="SUMO WRESTLER1" priority="3"/>
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  <segment start="smpte=00:00:46:21" end="smpte=00:00:57:09">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  </segment>
</section>
```

```
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="3"/>
  <pointofview keyword="SUMO WRESTLER1" priority="3"/>
  <segment start="smpte=00:00:57:10" end="smpte=00:01:00:28">
  </segment>
</section>
<section>
  <pointofview keyword="SUMO NAME" priority="4"/>
  <pointofview keyword="SUMO WRESTLER0" priority="5"/>
  <pointofview keyword="SUMO WRESTLER1" priority="5"/>
  <segment start="smpte=00:01:00:29" end="smpte=00:01:14:14">
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="2"/>
  <pointofview keyword="SUMO WRESTLER1" priority="2"/>
  <segment start="smpte=00:01:14:15" end="smpte=00:01:24:20">
  </segment>
</section>
<section>
  <pointofview keyword="WIN-LOSS RECORD" priority="3"/>
  <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  <pointofview keyword="SUMO WRESTLER1" priority="4"/>
  <segment start="smpte=00:01:24:21" end="smpte=00:01:39:26">
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  <pointofview keyword="SUMO WRESTLER1" priority="4"/>
  <segment start="smpte=00:01:39:27" end="smpte=00:01:52:09">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
    <pointofview keyword="SUMO WRESTLER1" priority="1"/>
  </segment>
  <segment start="smpte=00:01:52:10" end="smpte=00:02:02:16">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  </segment>
  <segment start="smpte=00:02:02:17" end="smpte=00:02:31:09">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
    <pointofview keyword="SUMO WRESTLER1" priority="4"/>
  </segment>
  <segment start="smpte=00:02:31:10" end="smpte=00:02:47:18">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
```

```
</segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER2" priority="2"/>
  <segment start="smpte=00:02:47:19" end="smpte=00:02:59:03">
    </segment>
  </section>
  <section>
    <pointofview keyword="SUMO WRESTLER5" priority="2"/>
    <segment start="smpte=00:02:59:04" end="smpte=00:03:07:14">
      </segment>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER0" priority="3"/>
      <pointofview keyword="SUMO WRESTLER1" priority="3"/>
      <segment start="smpte=00:03:07:15" end="smpte=00:03:13:28">
        <pointofview keyword="SUMO WRESTLER0" priority="3"/>
        <pointofview keyword="SUMO WRESTLER1" priority="3"/>
      </segment>
      <segment start="smpte=00:03:13:29" end="smpte=00:03:21:28">
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
      </segment>
      <segment start="smpte=00:03:21:29" end="smpte=00:03:33:15">
        <pointofview keyword="SUMO WRESTLER1" priority="4"/>
      </segment>
      <segment start="smpte=00:03:33:16" end="smpte=00:03:47:00">
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
        <pointofview keyword="SUMO WRESTLER1" priority="4"/>
      </segment>
      <segment start="smpte=00:03:47:01" end="smpte=00:03:58:14">
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
      </segment>
      <segment start="smpte=00:03:58:15" end="smpte=00:04:12:27">
        <pointofview keyword="SUMO WRESTLER1" priority="4"/>
      </segment>
    </section>
  </section>
  <section>
    <pointofview keyword="SUMO WRESTLER0" priority="5"/>
    <pointofview keyword="SUMO WRESTLER1" priority="5"/>
    <segment start="smpte=00:04:12:28" end="smpte=00:04:20:01">
      <pointofview keyword="SUMO WRESTLER0" priority="4"/>
      <pointofview keyword="SUMO WRESTLER1" priority="4"/>
    </segment>
  </section>
```

```
</segment>
<segment start="smpte=00:04:20:02" end="smpte=00:04:31:05">
  <pointofview keyword="SUMO WRESTLER0" priority="4"/>
</segment>
<segment start="smpte=00:04:31:06" end="smpte=00:04:34:28">
  <pointofview keyword="SUMO WRESTLER1" priority="4"/>
</segment>
<segment start="smpte=00:04:34:29" end="smpte=00:04:37:06">
  <pointofview keyword="SUMO WRESTLER0" priority="4"/>
</segment>
<segment start="smpte=00:04:37:07" end="smpte=00:04:57:05">
  <pointofview keyword="SUMO WRESTLER0" priority="5"/>
  <pointofview keyword="SUMO WRESTLER1" priority="5"/>
</segment>
<segment start="smpte=00:04:57:06" end="smpte=00:05:00:02">
  <pointofview keyword="SUMO WRESTLER0" priority="5"/>
</segment>
<segment start="smpte=00:05:00:03" end="smpte=00:05:02:06">
  <pointofview keyword="SUMO WRESTLER0" priority="5"/>
  <pointofview keyword="SUMO WRESTLER1" priority="5"/>
</segment>
</section>
<section>
  <segment start="smpte=00:05:02:07" end="smpte=00:05:04:16">
    </segment>
  </section>
  <section>
    <pointofview keyword="SUMO WRESTLER0" priority="5"/>
    <segment start="smpte=00:05:04:17" end="smpte=00:05:13:25">
      <pointofview keyword="SUMO WRESTLER0" priority="5"/>
    </segment>
    <segment start="smpte=00:05:13:26" end="smpte=00:05:17:01">
      <pointofview keyword="SUMO WRESTLER0" priority="5"/>
    </segment>
    <segment start="smpte=00:05:17:02" end="smpte=00:05:23:21">
      <pointofview keyword="SUMO WRESTLER0" priority="4"/>
    </segment>
  </section>
  <section>
    <pointofview keyword="VIDEO" priority="4"/>
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
    <pointofview keyword="SUMO WRESTLER1" priority="4"/>
    <segment start="smpte=00:05:23:22" end="smpte=00:05:44:15">
```

```
<pointofview keyword="VIDEO" priority="4"/>
<pointofview keyword="SUMO WRESTLER0" priority="5"/>
<pointofview keyword="SUMO WRESTLER1" priority="4"/>
</segment>
<segment start="smpte=00:05:44:16" end="smpte=00:05:50:27">
  <pointofview keyword="VIDEO" priority="4"/>
  <pointofview keyword="SUMO WRESTLER0" priority="5"/>
  <pointofview keyword="SUMO WRESTLER1" priority="4"/>
</segment>
<segment start="smpte=00:05:50:28" end="smpte=00:06:08:15">
  <pointofview keyword="VIDEO" priority="4"/>
  <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  <pointofview keyword="SUMO WRESTLER1" priority="4"/>
</segment>
<segment start="smpte=00:06:08:16" end="smpte=00:06:18:05">
  <pointofview keyword="VIDEO" priority="4"/>
  <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  <pointofview keyword="SUMO WRESTLER1" priority="4"/>
</segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  <segment start="smpte=00:06:18:06" end="smpte=00:06:24:04">
  </segment>
  <segment start="smpte=00:06:24:05" end="smpte=00:06:41:04">
  </segment>
</section>
</section>
<section caption="SUMO WRESTLER2 VS. SUMO WRESTLER3">
  <pointofview keyword="SUMO WRESTLER2" priority="5"/>
  <pointofview keyword="SUMO WRESTLER3" priority="5"/>
  <section>
    <pointofview keyword="SUMO NAME" priority="4"/>
    <pointofview keyword="SUMO WRESTLER2" priority="5"/>
    <pointofview keyword="SUMO WRESTLER3" priority="5"/>
    <segment start="smpte=00:06:18:05" end="smpte=00:07:00:24">
    </segment>
  </section>
  <section>
    <pointofview keyword="WIN-LOSS RECORD" priority="3"/>
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
    <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  </section>
</section>
```

```
<segment start="smpte=00:07:00:25" end="smpte=00:07:15:21">
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="2"/>
  <segment start="smpte=00:07:15:22" end="smpte=00:07:39:26">
    </segment>
  </section>
  <section>
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
    <segment start="smpte=00:07:39:27" end="smpte=00:07:46:02">
      </segment>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER2" priority="4"/>
      <pointofview keyword="SUMO WRESTLER3" priority="4"/>
      <segment start="smpte=00:07:46:03" end="smpte=00:07:53:17">
        </segment>
      </section>
      <section>
        <pointofview keyword="SUMO WRESTLER3" priority="4"/>
        <segment start="smpte=00:07:53:18" end="smpte=00:08:01:21">
          </segment>
        </section>
        <section>
          <pointofview keyword="SUMO WRESTLER2" priority="4"/>
          <pointofview keyword="SUMO WRESTLER3" priority="4"/>
          <segment start="smpte=00:08:01:22" end="smpte=00:08:18:02">
            <pointofview keyword="SUMO WRESTLER2" priority="4"/>
            <pointofview keyword="SUMO WRESTLER3" priority="4"/>
          </segment>
          <segment start="smpte=00:08:18:03" end="smpte=00:08:39:05">
            <pointofview keyword="SUMO WRESTLER2" priority="4"/>
          </segment>
          <segment start="smpte=00:08:39:06" end="smpte=00:08:47:06">
            <pointofview keyword="SUMO WRESTLER2" priority="4"/>
            <pointofview keyword="SUMO WRESTLER3" priority="4"/>
          </segment>
          <segment start="smpte=00:08:47:07" end="smpte=00:09:03:27">
            <pointofview keyword="SUMO WRESTLER2" priority="4"/>
          </segment>
          <segment start="smpte=00:09:03:28" end="smpte=00:09:07:20">
            <pointofview keyword="SUMO WRESTLER3" priority="4"/>
          </segment>
        </section>
      </section>
    </section>
  </section>
</section>
```

```
</segment>
<segment start="smpte=00:09:07:21" end="smpte=00:09:16:26">
  <pointofview keyword="SUMO WRESTLER2" priority="4"/>
  <pointofview keyword="SUMO WRESTLER3" priority="4"/>
</segment>
<segment start="smpte=00:09:16:27" end="smpte=00:09:20:25">
  <pointofview keyword="SUMO WRESTLER2" priority="4"/>
</segment>
<segment start="smpte=00:09:20:26" end="smpte=00:09:22:27">
  <pointofview keyword="SUMO WRESTLER3" priority="4"/>
</segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER2" priority="5"/>
  <pointofview keyword="SUMO WRESTLER3" priority="5"/>
  <segment start="smpte=00:09:22:28" end="smpte=00:09:48:11">
    <pointofview keyword="SUMO WRESTLER2" priority="5"/>
    <pointofview keyword="SUMO WRESTLER3" priority="5"/>
  </segment>
  <segment start="smpte=00:09:48:12" end="smpte=00:09:51:27">
    <pointofview keyword="SUMO WRESTLER2" priority="5"/>
  </segment>
  <segment start="smpte=00:09:51:28" end="smpte=00:09:57:01">
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
    <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  </segment>
  <segment start="smpte=00:09:57:02" end="smpte=00:10:12:21">
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
  </segment>
</section>
<section>
  <pointofview keyword="VIDEO" priority="4"/>
  <pointofview keyword="SUMO WRESTLER2" priority="4"/>
  <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  <segment start="smpte=00:10:12:22" end="smpte=00:10:41:17">
    <pointofview keyword="VIDEO" priority="4"/>
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
    <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER2" priority="5"/>
```

*FIG. 66*

```
<segment start="smpte=00:10:41:18" end="smpte=00:11:28:17">
  </segment>
</section>
<section>
  <segment start="smpte=00:11:28:18" end="smpte=00:11:41:29">
    </segment>
  </section>
</section>
</contents>
```



# FIG. 67

61/242

ONE EXAMPLE OF DTD TO BE USED FOR DESCRIBING CONTEXT DESCRIPTION DATA IN XML

```
<?xml version="1.0"?>

<!ELEMENT contents      (section+)>
<!ATTLIST  contents      contents-id  CDATA      #REQUIRED
              title        CDATA      #REQUIRED
              runtime      NMTOKEN   #REQUIRED>

<!ELEMENT section      (pointofview*,(section+|segment+))>
<!ATTLIST  section      caption    CDATA      #IMPLIED>
<!ELEMENT segment      (pointofview*,dominant-data)>
<!ATTLIST  segment      start      CDATA      #REQUIRED
              end              CDATA      #REQUIRED>

<!ELEMENT pointofview   EMPTY>
<!ATTLIST  pointofview  keyword    CDATA      #REQUIRED
              priority    NMTOKEN   #REQUIRED>

<!ELEMENT dominant-data EMPTY>
<!ATTLIST  dominant-data frame-no   NMTOKEN   #IMPLIED
              start          CDATA    #IMPLIED
              end            CDATA    #IMPLIED
              locator        CDATA    #IMPLIED>
```

ONE EXAMPLE OF XML DOCUMENT RELATING TO CONTEXT DESCRIPTION DATA PREPARED BY DTD

```
<?xml version="1.0" encoding="euc-jp"?>
<!DOCTYPE contents SYSTEM "http://mserv.tri.mei.co.jp/SMML/program04.dtd">

<contents contents-id="urn:upi:nhk:12345" title="GRAND SUMO
TOURNAMENT" runtime="11:42">
  <section caption="SUMO WRESTLER0 VS. SUMO WRESTLER1">
    <pointofview keyword="SUMO WRESTLER0" priority="5"/>
    <pointofview keyword="SUMO WRESTLER1" priority="5"/>
    <section>
      <pointofview keyword="SUMO WRESTLER4" priority="1"/>
      <segment start="smpte=00:00:00:00" end="smpte=00:00:04:17">
        <pointofview keyword="SUMO WRESTLER4" priority="1"/>
        <dominant-data
locator="http://mserv.tri.mei.co.jp/DMV/dmp01.gif"/>
        <dominant-data
locator="http://mserv.tri.mei.co.jp/DMA/dma01.mp3"/>
```

```

    </segment>
  </section>
  <section>
    <segment start="smpte=00:00:04:18" end="smpte=00:00:09:08">
      <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp02.gif"/>
      <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma02.mp3"/>
    </segment>
  </section>
  <section>
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
    <segment start="smpte=00:00:09:09" end="smpte=00:00:14:13">
      <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp03.gif"/>
      <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma03.mp3"/>
    </segment>
  </section>
  <section>
    <pointofview keyword="SUMO WRESTLER0" priority="3"/>
    <pointofview keyword="SUMO WRESTLER1" priority="3"/>
    <segment start="smpte=00:00:14:14" end="smpte=00:00:19:19">
      <pointofview keyword="SUMO WRESTLER0" priority="3"/>
      <pointofview keyword="SUMO WRESTLER1" priority="3"/>
      <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp04.gif"/>
      <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma04.mp3"/>
    </segment>
    <segment start="smpte=00:00:19:20" end="smpte=00:00:22:19">
      <pointofview keyword="SUMO WRESTLER0" priority="1"/>
      <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp05.gif"/>
      <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma05.mp3"/>
    </segment>
    <segment start="smpte=00:00:22:20" end="smpte=00:00:28:10">
      <pointofview keyword="SUMO WRESTLER0" priority="3"/>
      <pointofview keyword="SUMO WRESTLER1" priority="3"/>
      <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp06.gif"/>
      <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma06.mp3"/>

```

*FIG. 69*

```

    </segment>
  </section>
  <section>
    <pointofview keyword="SUMO WRESTLER0" priority="3"/>
    <pointofview keyword="SUMO WRESTLER4" priority="2"/>
    <segment start="smpte=00:00:28:11" end="smpte=00:00:30:28">
      <pointofview keyword="SUMO WRESTLER0" priority="3"/>
      <pointofview keyword="SUMO WRESTLER4" priority="2"/>
      <dominant-data
locator="http://mserv.tri.mei.co.jp/DMV/dmp07.gif"/>
      <dominant-data
locator="http://mserv.tri.mei.co.jp/DMA/dma07.mp3"/>
    </segment>
    <segment start="smpte=00:00:30:29" end="smpte=00:00:43:11">
      <pointofview keyword="SUMO WRESTLER0" priority="3"/>
      <pointofview keyword="SUMO WRESTLER4" priority="1"/>
      <dominant-data
start="smpte=00:00:31:20"
end="smpte=00:00:35:05"/>
    </segment>
  </section>
  <section>
    <pointofview keyword="SUMO WRESTLER0" priority="3"/>
    <pointofview keyword="SUMO WRESTLER1" priority="3"/>
    <segment start="smpte=00:00:43:12" end="smpte=00:00:46:20">
      <pointofview keyword="SUMO WRESTLER0" priority="3"/>
      <pointofview keyword="SUMO WRESTLER1" priority="3"/>
      <dominant-data
locator="http://mserv.tri.mei.co.jp/DMV/dmp08.gif"/>
      <dominant-data
locator="http://mserv.tri.mei.co.jp/DMA/dma08.mp3"/>
    </segment>
  </section>
  <section>
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
    <segment start="smpte=00:00:46:21" end="smpte=00:00:57:09">
      <pointofview keyword="SUMO WRESTLER0" priority="4"/>
      <dominant-data
start="smpte=00:00:47:00"
end="smpte=00:00:50:03"/>
    </segment>
  </section>
  <section>
    <pointofview keyword="SUMO WRESTLER0" priority="3"/>
    <pointofview keyword="SUMO WRESTLER1" priority="3"/>
    <segment start="smpte=00:00:57:10" end="smpte=00:01:00:28">
      <pointofview keyword="SUMO WRESTLER0" priority="3"/>

```

*FIG. 70*

```

        <pointofview keyword="SUMO WRESTLER1" priority="3"/>
        <dominant-data
locator="http://mserv.tri.mei.co.jp/DMV/dmp09.gif"/>
        <dominant-data
locator="http://mserv.tri.mei.co.jp/DMA/dma09.mp3"/>
        </segment>
    </section>
    <section>
        <pointofview keyword="SUMO NAME" priority="4"/>
        <pointofview keyword="SUMO WRESTLER0" priority="5"/>
        <pointofview keyword="SUMO WRESTLER1" priority="5"/>
        <segment start="smpte=00:01:00:29" end="smpte=00:01:14:14">
            <pointofview keyword="SUMO NAME" priority="4"/>
            <pointofview keyword="SUMO WRESTLER0" priority="5"/>
            <pointofview keyword="SUMO WRESTLER1" priority="5"/>
            <dominant-data
locator="http://mserv.tri.mei.co.jp/DMV/dmp10.gif"/>
            <dominant-data
locator="http://mserv.tri.mei.co.jp/DMA/dma10.mp3"/>
            </segment>
        </section>
        <section>
            <pointofview keyword="SUMO WRESTLER0" priority="2"/>
            <pointofview keyword="SUMO WRESTLER1" priority="2"/>
            <segment start="smpte=00:01:14:15" end="smpte=00:01:24:20">
                <dominant-data      start="smpte=00:01:15:20"      end="smpte
=00:01:19:03"/>
            </segment>
        </section>
        <section>
            <pointofview keyword="WIN-LOSS RECORD " priority="3"/>
            <pointofview keyword="SUMO WRESTLER0" priority="4"/>
            <pointofview keyword="SUMO WRESTLER1" priority="4"/>
            <segment start="smpte=00:01:24:21" end="smpte=00:01:39:26">
                <pointofview keyword="WIN-LOSS RECORD" priority="3"/>
                <pointofview keyword="SUMO WRESTLER0" priority="4"/>
                <pointofview keyword="SUMO WRESTLER1" priority="4"/>
                <dominant-data
locator="http://mserv.tri.mei.co.jp/DMV/dmp11.gif"/>
                <dominant-data
locator="http://mserv.tri.mei.co.jp/DMA/dma11.mp3"/>
                </segment>
            </section>
        <section>
            <pointofview keyword="SUMO WRESTLER0" priority="4"/>

```

```

    <pointofview keyword="SUMO WRESTLER1" priority="4"/>
    <segment start="smpte=00:01:39:27" end="smpte=00:01:52:09">
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
        <pointofview keyword="SUMO WRESTLER1" priority="1"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp12.gif"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma12.mp3"/>
    </segment>
    <segment start="smpte=00:01:52:10" end="smpte=00:02:02:16">
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
        <dominant-data      start="smpte=00:01:52:20"      end="smpte
=00:01:55:10"/>
    </segment>
    <segment start="smpte=00:02:02:17" end="smpte=00:02:31:09">
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
        <pointofview keyword="SUMO WRESTLER1" priority="4"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp13.gif"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma13.mp3"/>
    </segment>
    <segment start="smpte=00:02:31:10" end="smpte=00:02:47:18">
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
        <dominant-data      start="smpte=00:02:31:20"
end="smpte=00:02:38:11"/>
    </segment>
</section>
<section>
    <pointofview keyword="SUMO WRESTLER2" priority="2"/>
    <segment start="smpte=00:02:47:19" end="smpte=00:02:59:03">
        <pointofview keyword="SUMO WRESTLER2" priority="2"/>
        <dominant-data      start="smpte=00:02:47:25"
end="smpte=00:02:48:02"/>
    </segment>
</section>
<section>
    <pointofview keyword="SUMO WRESTLER5" priority="2"/>
    <segment start="smpte=00:02:59:04" end="smpte=00:03:07:14">
        <pointofview keyword="SUMO WRESTLER5" priority="2"/>
        <dominant-data      start="smpte=00:02:59:10"
end="smpte=00:03:02:12"/>
    </segment>
</section>
</section>

```

```

    <pointofview keyword="SUMO WRESTLER0" priority="3"/>
    <pointofview keyword="SUMO WRESTLER1" priority="3"/>
    <segment start="smpte=00:03:07:15" end="smpte=00:03:13:28">
        <pointofview keyword="SUMO WRESTLER0" priority="3"/>
        <pointofview keyword="SUMO WRESTLER1" priority="3"/>
        <dominant-data start="smpte=00:03:08:12" end="smpte=
00:03:10:20"/>
    </segment>
    <segment start="smpte=00:03:13:29" end="smpte=00:03:21:28">
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
        <dominant-data start="smpte=00:03:15:10" end="smpte=
00:03:18:03"/>
    </segment>
    <segment start="smpte=00:03:21:29" end="smpte=00:03:33:15">
        <pointofview keyword="SUMO WRESTLER1" priority="4"/>
        <dominant-data start="smpte=00:03:22:08" end="smpte=
00:03:25:02"/>
    </segment>
    <segment start="smpte=00:03:33:16" end="smpte=00:03:47:00">
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
        <pointofview keyword="SUMO WRESTLER1" priority="4"/>
        <dominant-data start="smpte=00:03:35:09" end="smpte=
00:03:38:21"/>
    </segment>
    <segment start="smpte=00:03:47:01" end="smpte=00:03:58:14">
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
        <dominant-data start="smpte=00:03:48:00" end="smpte=
00:03:51:17"/>
    </segment>
    <segment start="smpte=00:03:58:15" end="smpte=00:04:12:27">
        <pointofview keyword="SUMO WRESTLER1" priority="4"/>
        <dominant-data start="smpte=00:03:59:02" end="smpte=
00:04:01:07"/>
    </segment>
</section>
<section>
    <pointofview keyword="SUMO WRESTLER0" priority="5"/>
    <pointofview keyword="SUMO WRESTLER1" priority="5"/>
    <segment start="smpte=00:04:12:28" end="smpte=00:04:20:01">
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
        <pointofview keyword="SUMO WRESTLER1" priority="4"/>
        <dominant-data locator=http://mserv.trl.mei.co.jp/DMV/dmp14.
gif/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma14.
mp3"/>

```

# FIG. 73

67/242

```

        </segment>
        <segment start="smpte=00:04:20:02" end="smpte=00:04:31:05">
            <pointofview keyword="SUMO WRESTLER0" priority="4"/>
            <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp15.gif"/>
            <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma15.mp3"/>
        </segment>
        <segment start="smpte=00:04:31:06" end="smpte=00:04:34:28">
            <pointofview keyword="SUMO WRESTLER1" priority="4"/>
            <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp16.gif"/>
            <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma16.mp3"/>
        </segment>
        <segment start="smpte=00:04:34:29" end="smpte=00:04:37:06">
            <pointofview keyword="SUMO WRESTLER0" priority="4"/>
            <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp17.gif"/>
            <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma17.mp3"/>
        </segment>
        <segment start="smpte=00:04:37:07" end="smpte=00:04:57:05">
            <pointofview keyword="SUMO WRESTLER0" priority="5"/>
            <pointofview keyword="SUMO WRESTLER1" priority="5"/>
            <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp18.gif"/>
            <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma18.mp3"/>
        </segment>
        <segment start="smpte=00:04:57:06" end="smpte=00:05:00:02">
            <pointofview keyword="SUMO WRESTLER0" priority="5"/>
            <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp19.gif"/>
            <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma19.mp3"/>
        </segment>
        <segment start="smpte=00:05:00:03" end="smpte=00:05:02:06">
            <pointofview keyword="SUMO WRESTLER0" priority="5"/>
            <pointofview keyword="SUMO WRESTLER1" priority="5"/>
            <dominant-data    locator="http://mserv.trl.mei.co.jp/DMV/dmp20.
gif"/>
            <dominant-data    locator="http://mserv.trl.mei.co.jp/DMA/dma20.
mp3"/>
        </segment>

```

```

</section>
<section>
  <segment start="smpte=00:05:02:07" end="smpte=00:05:04:16">
    <dominant-data start="smpte=00:05:03:02" end="smpte=
00:05:02:20"/>
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="5"/>
  <segment start="smpte=00:05:04:17" end="smpte=00:05:13:25">
    <pointofview keyword="SUMO WRESTLER0" priority="5"/>
    <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp21.
gif"/>
    <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma21.
mp3"/>
  </segment>
  <segment start="smpte=00:05:13:26" end="smpte=00:05:17:01">
    <pointofview keyword="SUMO WRESTLER0" priority="5"/>
    <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp22.
gif"/>
    <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma22.
mp3"/>
  </segment>
  <segment start="smpte=00:05:17:02" end="smpte=00:05:23:21">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
    <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp23.
gif"/>
    <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma23.
mp3"/>
  </segment>
</section>
<section>
  <pointofview keyword="VIDEO" priority="4"/>
  <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  <pointofview keyword="SUMO WRESTLER1" priority="4"/>
  <segment start="smpte=00:05:23:22" end="smpte=00:05:44:15">
    <pointofview keyword="VIDEO" priority="4"/>
    <pointofview keyword="SUMO WRESTLER0" priority="5"/>
    <pointofview keyword="SUMO WRESTLER1" priority="4"/>
    <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp24.
gif"/>
    <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma24.
mp3"/>
  </segment>

```



```

    <segment start="smpte=00:05:44:16" end="smpte=00:05:50:27">
      <pointofview keyword="VIDEO" priority="4"/>
      <pointofview keyword="SUMO WRESTLER0" priority="5"/>
      <pointofview keyword="SUMO WRESTLER1" priority="4"/>
      <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp25.
gif"/>
      <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma25.
mp3"/>
    </segment>
    <segment start="smpte=00:05:50:28" end="smpte=00:06:08:15">
      <pointofview keyword="VIDEO" priority="4"/>
      <pointofview keyword="SUMO WRESTLER0" priority="4"/>
      <pointofview keyword="SUMO WRESTLER1" priority="4"/>
      <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp26.
gif"/>
      <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma26.
mp3"/>
    </segment>
    <segment start="smpte=00:06:08:16" end="smpte=00:06:18:05">
      <pointofview keyword="VIDEO" priority="4"/>
      <pointofview keyword="SUMO WRESTLER0" priority="4"/>
      <pointofview keyword="SUMO WRESTLER1" priority="4"/>
      <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp27.
gif"/>
      <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma27.
mp3"/>
    </segment>
  </section>
  <section>
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
    <segment start="smpte=00:06:18:06" end="smpte=00:06:24:04">
      <dominant-data start="smpte=00:06:18:25" end="smpte=
00:06:20:17"/>
    </segment>
    <segment start="smpte=00:06:24:05" end="smpte=00:06:41:04">
      <dominant-data start="smpte=00:06:25:01" end="smpte=
00:06:30:11"/>
    </segment>
  </section>
</section>
<section caption="SUMO WRESTLER2 VS. SUMO WRESTLER3">
  <pointofview keyword="SUMO WRESTLER2" priority="5"/>
  <pointofview keyword="SUMO WRESTLER3" priority="5"/>
</section>

```

```

    <pointofview keyword="SUMO NAME" priority="4"/>
    <pointofview keyword="SUMO WRESTLER2" priority="5"/>
    <pointofview keyword="SUMO WRESTLER3" priority="5"/>
    <segment start="smpte=00:06:18:05" end="smpte=00:07:00:24">
        <pointofview keyword="SUMO NAME" priority="4"/>
        <pointofview keyword="SUMO WRESTLER2" priority="5"/>
        <pointofview keyword="SUMO WRESTLER3" priority="5"/>
        <dominant-data
locator="http://mserv.tri.mei.co.jp/DMV/dmp28.gif"/>
        <dominant-data
locator="http://mserv.tri.mei.co.jp/DMA/dma28.mp3"/>
    </segment>
</section>
<section>
    <pointofview keyword="WIN-LOSS REORD" priority="3"/>
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
    <pointofview keyword="SUMO WRESTLER3" priority="4"/>
    <segment start="smpte=00:07:00:25" end="smpte=00:07:15:21">
        <pointofview keyword="WIN-LOSS RECORD" priority="3"/>
        <pointofview keyword="SUMO WRESTLER2" priority="4"/>
        <pointofview keyword="SUMO WRESTLER3" priority="4"/>
        <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp29.
gif"/>
        <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma29.
mp3"/>
    </segment>
</section>
<section>
    <pointofview keyword="SUMO WRESTLER0" priority="2"/>
    <segment start="smpte=00:07:15:22" end="smpte=00:07:39:26">
        <pointofview keyword="SUMO WRESTLER0" priority="2"/>
        <dominant-data start="smpte=00:07:16:05" end="smpte=
00:07:18:23"/>
    </segment>
</section>
<section>
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
    <segment start="smpte=00:07:39:27" end="smpte=00:07:46:02">
        <pointofview keyword="SUMO WRESTLER2" priority="4"/>
        <dominant-data start="smpte=00:07:41:28" end="smpte=
00:07:43:01"/>
    </segment>
</section>
</section>

```

```

    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
    <pointofview keyword="SUMO WRESTLER3" priority="4"/>
    <segment start="smpte=00:07:46:03" end="smpte=00:07:53:17">
        <pointofview keyword="SUMO WRESTLER2" priority="4"/>
        <pointofview keyword="SUMO WRESTLER3" priority="4"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp30.gif"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma30.mp3"/>
        </segment>
    </section>
    <section>
        <pointofview keyword="SUMO WRESTLER3" priority="4"/>
        <segment start="smpte=00:07:53:18" end="smpte=00:08:01:21">
            <pointofview keyword="SUMO WRESTLER3" priority="4"/>
            <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp31.gif"/>
            <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma31.mp3"/>
            </segment>
        </section>
        <section>
            <pointofview keyword="SUMO WRESTLER2" priority="4"/>
            <pointofview keyword="SUMO WRESTLER3" priority="4"/>
            <segment start="smpte=00:08:01:22" end="smpte=00:08:18:02">
                <pointofview keyword="SUMO WRESTLER2" priority="4"/>
                <pointofview keyword="SUMO WRESTLER3" priority="4"/>
                <dominant-data    locator="http://mserv.trl.mei.co.jp/DMV/dmp32.
gif"/>
                <dominant-data    locator="http://mserv.trl.mei.co.jp/DMA/dma32.
mp3"/>
            </segment>
            <segment start="smpte=00:08:18:03" end="smpte=00:08:39:05">
                <pointofview keyword="SUMO WRESTLER2" priority="4"/>
                <dominant-data    locator="http://mserv.trl.mei.co.jp/DMV/dmp33.
gif"/>
                <dominant-data    locator="http://mserv.trl.mei.co.jp/DMA/dma33.
mp3"/>
            </segment>
            <segment start="smpte=00:08:39:06" end="smpte=00:08:47:06">
                <pointofview keyword="SUMO WRESTLER2" priority="4"/>
                <pointofview keyword="SUMO WRESTLER3" priority="4"/>
                <dominant-data    locator="http://mserv.trl.mei.co.jp/DMV/dmp34.
gif"/>

```

```

    <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma34.
mp3"/>
  </segment>
  <segment start="smpte=00:08:47:07" end="smpte=00:09:03:27">
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp35.
gif"/>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma35.
mp3"/>
    </segment>
    <segment start="smpte=00:09:03:28" end="smpte=00:09:07:20">
      <pointofview keyword="SUMO WRESTLER3" priority="4"/>
      <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp36.
gif"/>
      <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma36.
mp3"/>
      </segment>
      <segment start="smpte=00:09:07:21" end="smpte=00:09:16:26">
        <pointofview keyword="SUMO WRESTLER2" priority="4"/>
        <pointofview keyword="SUMO WRESTLER3" priority="4"/>
        <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp37.
gif"/>
        <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma37.
mp3"/>
        </segment>
        <segment start="smpte=00:09:16:27" end="smpte=00:09:20:25">
          <pointofview keyword="SUMO WRESTLER2" priority="4"/>
          <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp38.
gif"/>
          <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma38.
mp3"/>
          </segment>
          <segment start="smpte=00:09:20:26" end="smpte=00:09:22:27">
            <pointofview keyword="SUMO WRESTLER3" priority="4"/>
            <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp39.
gif"/>
            <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma39.
mp3"/>
            </segment>
          </section>
        <section>
          <pointofview keyword="SUMO WRESTLER2" priority="5"/>
          <pointofview keyword="SUMO WRESTLER3" priority="5"/>
          <segment start="smpte=00:09:22:28" end="smpte=00:09:48:11">

```

```

        <pointofview keyword="SUMO WRESTLER2" priority="5"/>
        <pointofview keyword="SUMO WRESTLER3" priority="5"/>
        <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp40.
gif"/>
        <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma40.
mp3"/>
    </segment>
    <segment start="smpte=00:09:48:12" end="smpte=00:09:51:27">
        <pointofview keyword="SUMO WRESTLER2" priority="5"/>
        <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp41.
gif"/>
        <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma41.
mp3"/>
    </segment>
    <segment start="smpte=00:09:51:28" end="smpte=00:09:57:01">
        <pointofview keyword="SUMO WRESTLER2" priority="4"/>
        <pointofview keyword="SUMO WRESTLER3" priority="4"/>
        <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp42.
gif"/>
        <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma42.
mp3"/>
    </segment>
    <segment start="smpte=00:09:57:02" end="smpte=00:10:12:21">
        <pointofview keyword="SUMO WRESTLER2" priority="4"/>
        <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp43.
gif"/>
        <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma43.
mp3"/>
    </segment>
</section>
<section>
    <pointofview keyword="VIDEO" priority="4"/>
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
    <pointofview keyword="SUMO WRESTLER3" priority="4"/>
    <segment start="smpte=00:10:12:22" end="smpte=00:10:41:17">
        <pointofview keyword="VIDEO" priority="4"/>
        <pointofview keyword="SUMO WRESTLER2" priority="4"/>
        <pointofview keyword="SUMO WRESTLER3" priority="4"/>
        <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp44.
gif"/>
        <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma44.
mp3"/>
    </segment>

```

```

</section>
<section>
  <pointofview keyword="SUMO WRESTLER2" priority="5"/>
  <segment start="smpte=00:10:41:18" end="smpte=00:11:28:17">
    <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp45.
gif"/>
    <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma45.
mp3"/>
  </segment>
</section>
<section>
  <segment start="smpte=00:11:28:18" end="smpte=00:11:41:29">
    <dominant-data start="smpte=00:11:29:13" end="smpte=
11:32:21"/>
  </segment>
</section>
</section>
</contents>

```

FIG. 81

75/242




FIG. 82






FIG. 83




FIG. 84




FIG. 85




FIG. 86





FIG. 87



**FIG. 88**

ONE EXAMPLE OF DTD TO BE USED FOR DESCRIBING CONTEXT DESCRIPTION DATA IN XML

```
<?xml version="1.0"?>

<!ELEMENT contents      (mediaobject+)>
<!ATTLIST  contents      contents-id  CDATA      #REQUIRED
                                title      CDATA      #REQUIRED
                                runtime    NMTOKEN   #REQUIRED>

<!ELEMENT mediaobject    (section+)>
<!ATTLIST  mediaobject    id           CDATA      #REQUIRED>
<!ELEMENT  section        (pointofview*,(section+|segment+))>
<!ATTLIST  section        caption     CDATA      #IMPLIED>
<!ELEMENT  segment        (pointofview*)>
<!ATTLIST  segment        start       CDATA      #REQUIRED
                                end       CDATA      #REQUIRED>

<!ELEMENT  pointofview    EMPTY>
<!ATTLIST  pointofview    keyword     CDATA      #REQUIRED
                                priority   NMTOKEN   #REQUIRED>
```

ONE EXAMPLE OF XML DOCUMENT RELATING TO CONTEXT DESCRIPTION DATA PREPARED BY DTD

```
<?xml version="1.0" encoding="euc-jp"?>
<!DOCTYPE contents SYSTEM "http://mserv.tri.mei.co.jp/SMML/program08.dtd">

<contents contents-id="urn:upi:mei:12345" title="GRAND SUMO TOURNAMENT" runtime="11:42">
  <mediaobject id="mobj-01">
    <section caption="SUMO WRESTLER0 VS. SUMO WRESTLER1">
      <pointofview keyword="SUMO WRESTLER0" priority="5"/>
      <pointofview keyword="SUMO WRESTLER1" priority="5"/>
      <section>
        <pointofview keyword="SUMO WRESTLER4" priority="1"/>
        <segment start="smpte=00:00:00:00" end="smpte=00:00:04:17">
          </segment>
        </section>
      <section>
        <segment start="smpte=00:00:04:18" end="smpte=00:00:09:08">
          </segment>
        </section>
      <section>
```

```
<pointofview keyword="SUMO WRESTLER0" priority="4"/>
<segment start="smpte=00:00:09:09" end="smpte=00:00:14:13">
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="3"/>
  <pointofview keyword="SUMO WRESTLER1" priority="3"/>
  <segment start="smpte=00:00:14:14" end="smpte=00:00:19:19">
    <pointofview keyword="SUMO WRESTLER0" priority="3"/>
    <pointofview keyword="SUMO WRESTLER1" priority="3"/>
  </segment>
  <segment start="smpte=00:00:19:20" end="smpte=00:00:22:19">
    <pointofview keyword="SUMO WRESTLER0" priority="1"/>
  </segment>
  <segment start="smpte=00:00:22:20" end="smpte=00:00:28:10">
    <pointofview keyword="SUMO WRESTLER0" priority="3"/>
    <pointofview keyword="SUMO WRESTLER1" priority="3"/>
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="3"/>
  <pointofview keyword="SUMO WRESTLER4" priority="2"/>
  <segment start="smpte=00:00:28:11" end="smpte=00:00:30:28">
    <pointofview keyword="SUMO WRESTLER0" priority="3"/>
    <pointofview keyword="SUMO WRESTLER4" priority="2"/>
  </segment>
  <segment start="smpte=00:00:30:29" end="smpte=00:00:43:11">
    <pointofview keyword="SUMO WRESTLER0" priority="3"/>
    <pointofview keyword="SUMO WRESTLER4" priority="1"/>
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="3"/>
  <pointofview keyword="SUMO WRESTLER1" priority="3"/>
  <segment start="smpte=00:00:43:12" end="smpte=00:00:46:20">
    <pointofview keyword="SUMO WRESTLER0" priority="3"/>
    <pointofview keyword="SUMO WRESTLER1" priority="3"/>
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  <segment start="smpte=00:00:46:21" end="smpte=00:00:57:09">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
```

```
</segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="3"/>
  <pointofview keyword="SUMO WRESTLER1" priority="3"/>
  <segment start="smpte=00:00:57:10" end="smpte=00:01:00:28">
    </segment>
  </section>
  <section>
    <pointofview keyword="SUMO NAME" priority="4"/>
    <pointofview keyword="SUMO WRESTLER0" priority="5"/>
    <pointofview keyword="SUMO WRESTLER1" priority="5"/>
    <segment start="smpte=00:01:00:29" end="smpte=00:01:14:14">
      </segment>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER0" priority="2"/>
      <pointofview keyword="SUMO WRESTLER1" priority="2"/>
      <segment start="smpte=00:01:14:15" end="smpte=00:01:24:20">
        </segment>
      </section>
      <section>
        <pointofview keyword="WIN-LOSS RECORD" priority="3"/>
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
        <pointofview keyword="SUMO WRESTLER1" priority="4"/>
        <segment start="smpte=00:01:24:21" end="smpte=00:01:39:26">
          </segment>
        </section>
        <section>
          <pointofview keyword="SUMO WRESTLER0" priority="4"/>
          <pointofview keyword="SUMO WRESTLER1" priority="4"/>
          <segment start="smpte=00:01:39:27" end="smpte=00:01:52:09">
            <pointofview keyword="SUMO WRESTLER0" priority="4"/>
            <pointofview keyword="SUMO WRESTLER1" priority="1"/>
          </segment>
          <segment start="smpte=00:01:52:10" end="smpte=00:02:02:16">
            <pointofview keyword="SUMO WRESTLER0" priority="4"/>
          </segment>
          <segment start="smpte=00:02:02:17" end="smpte=00:02:31:09">
            <pointofview keyword="SUMO WRESTLER0" priority="4"/>
            <pointofview keyword="SUMO WRESTLER1" priority="4"/>
          </segment>
        </section>
      </section>
    </section>
  </section>
</section>
```



```
</segment>
<segment start="smpte=00:02:31:10" end="smpte=00:02:47:18">
  <pointofview keyword="SUMO WRESTLER0" priority="4"/>
</segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER2" priority="2"/>
  <segment start="smpte=00:02:47:19" end="smpte=00:02:59:03">
    </segment>
  </section>
<section>
  <pointofview keyword="SUMO WRESTLER5" priority="2"/>
  <segment start="smpte=00:02:59:04" end="smpte=00:03:07:14">
    </segment>
  </section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="3"/>
  <pointofview keyword="SUMO WRESTLER1" priority="3"/>
  <segment start="smpte=00:03:07:15" end="smpte=00:03:13:28">
    <pointofview keyword="SUMO WRESTLER0" priority="3"/>
    <pointofview keyword="SUMO WRESTLER1" priority="3"/>
  </segment>
  <segment start="smpte=00:03:13:29" end="smpte=00:03:21:28">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  </segment>
  <segment start="smpte=00:03:21:29" end="smpte=00:03:33:15">
    <pointofview keyword="SUMO WRESTLER1" priority="4"/>
  </segment>
  <segment start="smpte=00:03:33:16" end="smpte=00:03:47:00">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
    <pointofview keyword="SUMO WRESTLER1" priority="4"/>
  </segment>
  <segment start="smpte=00:03:47:01" end="smpte=00:03:58:14">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  </segment>
  <segment start="smpte=00:03:58:15" end="smpte=00:04:12:27">
    <pointofview keyword="SUMO WRESTLER1" priority="4"/>
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="5"/>
  <pointofview keyword="SUMO WRESTLER1" priority="5"/>
  <segment start="smpte=00:04:12:28" end="smpte=00:04:20:01">
```

```
<pointofview keyword="SUMO WRESTLER0" priority="4"/>
<pointofview keyword="SUMO WRESTLER1" priority="4"/>
</segment>
<segment start="smpte=00:04:20:02" end="smpte=00:04:31:05">
  <pointofview keyword="SUMO WRESTLER0" priority="4"/>
</segment>
<segment start="smpte=00:04:31:06" end="smpte=00:04:34:28">
  <pointofview keyword="SUMO WRESTLER1" priority="4"/>
</segment>
<segment start="smpte=00:04:34:29" end="smpte=00:04:37:06">
  <pointofview keyword="SUMO WRESTLER0" priority="4"/>
</segment>
<segment start="smpte=00:04:37:07" end="smpte=00:04:57:05">
  <pointofview keyword="SUMO WRESTLER0" priority="5"/>
  <pointofview keyword="SUMO WRESTLER1" priority="5"/>
</segment>
<segment start="smpte=00:04:57:06" end="smpte=00:05:00:02">
  <pointofview keyword="SUMO WRESTLER0" priority="5"/>
</segment>
<segment start="smpte=00:05:00:03" end="smpte=00:05:02:06">
  <pointofview keyword="SUMO WRESTLER0" priority="5"/>
  <pointofview keyword="SUMO WRESTLER1" priority="5"/>
</segment>
</section>
<section>
  <segment start="smpte=00:05:02:07" end="smpte=00:05:04:16">
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="5"/>
  <segment start="smpte=00:05:04:17" end="smpte=00:05:13:25">
    <pointofview keyword="SUMO WRESTLER0" priority="5"/>
  </segment>
  <segment start="smpte=00:05:13:26" end="smpte=00:05:17:01">
    <pointofview keyword="SUMO WRESTLER0" priority="5"/>
  </segment>
  <segment start="smpte=00:05:17:02" end="smpte=00:05:23:21">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  </segment>
</section>
<section>
  <pointofview keyword="VIDEO" priority="4"/>
```

```

<pointofview keyword="SUMO WRESTLER0" priority="4"/>
<pointofview keyword="SUMO WRESTLER1" priority="4"/>
<segment start="smpte=00:05:23:22" end="smpte=00:05:44:15">
  <pointofview keyword="VIDEO" priority="4"/>
  <pointofview keyword="SUMO WRESTLER0" priority="5"/>
  <pointofview keyword="SUMO WRESTLER1" priority="4"/>
</segment>
<segment start="smpte=00:05:44:16" end="smpte=00:05:50:27">
  <pointofview keyword="VIDEO" priority="4"/>
  <pointofview keyword="SUMO WRESTLER0" priority="5"/>
  <pointofview keyword="SUMO WRESTLER1" priority="4"/>
</segment>
<segment start="smpte=00:05:50:28" end="smpte=00:06:08:15">
  <pointofview keyword="VIDEO" priority="4"/>
  <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  <pointofview keyword="SUMO WRESTLER1" priority="4"/>
</segment>
<segment start="smpte=00:06:08:16" end="smpte=00:06:18:05">
  <pointofview keyword="VIDEO" priority="4"/>
  <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  <pointofview keyword="SUMO WRESTLER1" priority="4"/>
</segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  <segment start="smpte=00:06:18:06" end="smpte=00:06:24:04">
  </segment>
  <segment start="smpte=00:06:24:05" end="smpte=00:06:41:04">
  </segment>
</section>
</section>
</mediaobject>
<mediaobject id="mobj-02">
  <section caption="SUMO WRESTLER2 VS. SUMO WRESTLER3">
    <pointofview keyword="SUMO WRESTLER2" priority="5"/>
    <pointofview keyword="SUMO WRESTLER3" priority="5"/>
  <section>
    <pointofview keyword="SUMO NAME" priority="4"/>
    <pointofview keyword="SUMO WRESTLER2" priority="5"/>
    <pointofview keyword="SUMO WRESTLER3" priority="5"/>
    <segment start="smpte=00:00:00:00" end="smpte=00:00:42:24">
    </segment>
  </section>
  </section>
</mediaobject>

```

```
</section>
<section>
  <pointofview keyword="WIN-LOSS RECORD" priority="3"/>
  <pointofview keyword="SUMO WRESTLER2" priority="4"/>
  <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  <segment start="smpte=00:00:42:25" end="smpte=00:00:57:21">
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="2"/>
  <segment start="smpte=00:00:57:22" end="smpte=00:01:21:26">
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER2" priority="4"/>
  <segment start="smpte=00:01:21:27" end="smpte=00:01:28:02">
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER2" priority="4"/>
  <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  <segment start="smpte=00:01:28:03" end="smpte=00:01:35:17">
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  <segment start="smpte=00:01:35:18" end="smpte=00:01:43:21">
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER2" priority="4"/>
  <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  <segment start="smpte=00:01:43:22" end="smpte=00:02:00:02">
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
    <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  </segment>
  <segment start="smpte=00:02:00:03" end="smpte=00:02:21:05">
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
  </segment>
  <segment start="smpte=00:02:21:06" end="smpte=00:02:29:06">
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
    <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  </segment>
```

```
<segment start="smpte=00:02:29:07" end="smpte=00:02:45:27">
  <pointofview keyword="SUMO WRESTLER2" priority="4"/>
</segment>
<segment start="smpte=00:02:45:28" end="smpte=00:02:48:20">
  <pointofview keyword="SUMO WRESTLER3" priority="4"/>
</segment>
<segment start="smpte=00:02:49:21" end="smpte=00:02:58:26">
  <pointofview keyword="SUMO WRESTLER2" priority="4"/>
  <pointofview keyword="SUMO WRESTLER3" priority="4"/>
</segment>
<segment start="smpte=00:02:58:27" end="smpte=00:03:02:25">
  <pointofview keyword="SUMO WRESTLER2" priority="4"/>
</segment>
<segment start="smpte=00:03:02:26" end="smpte=00:03:04:27">
  <pointofview keyword="SUMO WRESTLER3" priority="4"/>
</segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER2" priority="5"/>
  <pointofview keyword="SUMO WRESTLER3" priority="5"/>
  <segment start="smpte=00:03:04:28" end="smpte=00:03:30:11">
    <pointofview keyword="SUMO WRESTLER2" priority="5"/>
    <pointofview keyword="SUMO WRESTLER3" priority="5"/>
  </segment>
  <segment start="smpte=00:03:30:12" end="smpte=00:03:33:27">
    <pointofview keyword="SUMO WRESTLER2" priority="5"/>
  </segment>
  <segment start="smpte=00:03:33:28" end="smpte=00:03:39:01">
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
    <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  </segment>
  <segment start="smpte=00:03:39:02" end="smpte=00:03:54:21">
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
  </segment>
</section>
<section>
  <pointofview keyword="VIDEO" priority="4"/>
  <pointofview keyword="SUMO WRESTLER2" priority="4"/>
  <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  <segment start="smpte=00:03:54:22" end="smpte=00:04:23:17">
    <pointofview keyword="VIDEO" priority="4"/>
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
  </segment>
</section>
```

FIG. 96

```

    <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER2" priority="5"/>
  <segment start="smpte=00:04:23:18" end="smpte=00:05:10:17">
  </segment>
</section>
<section>
  <segment start="smpte=00:05:10:18" end="smpte=00:05:23:29">
  </segment>
</section>
</section>
</mediaobject>
</contents>

```

FIG. 97




FIG. 98




FIG. 99






FIG. 100






FIG. 101



*FIG. 102*



ONE EXAMPLE OF DTD TO BE USED FOR DESCRIBING CONTEXT DESCRIPTION DATA IN XML

```
<?xml version="1.0"?>
```

```
<!ENTITY % types "(audio|video|audiovideo)">
```

```
<!ENTITY % formats "(mpeg1-system|mpeg1-video|mpeg-audio|mpeg2-ps|mpeg2-ts|mpeg2-video)">
```

```
<!ELEMENT contents (mediaobject+)>
```

```
<!-- ATTLIST contents -->
  contents-id CDATA #REQUIRED
  title CDATA #REQUIRED
  runtime NMTOKEN #REQUIRED
```

```
<!ELEMENT mediaobject (channel+)>
```

```
<!-- ATTLIST mediaobject -->
  caption CDATA #IMPLIED
  type %types; "audiovideo"
  format %formats; #REQUIRED
  locator CDATA #REQUIRED
```

```
<!ELEMENT channel (pointofview*,grpoflayers?, context)>
```

```
<!-- ATTLIST channel -->
  caption CDATA #IMPLIED
  priority NMTOKEN #REQUIRED
```

```
<!ELEMENT pointofview EMPTY>
```

```
<!-- ATTLIST pointofview -->
  keyword CDATA #REQUIRED
  priority NMTOKEN #REQUIRED
```

```
<!ELEMENT grpoflayer (layer+)>
```

```
<!ELEMENT layer EMPTY>
```

```
<!-- ATTLIST layer -->
  layer-id CDATA #REQUIRED
  priority NMTOKEN #REQUIRED
```

```
<!ELEMENT context EMPTY>
```

```
<!-- ATTLIST context -->
  Locator CDATA #REQUIRED
```

ONE EXAMPLE OF XML DOCUMENT RELATING TO CONTEXT DESCRIPTION DATA PREPARED BY DTD

```
<?xml version="1.0" encoding="euc-jp"?>
```

```
<!DOCTYPE contents SYSTEM "http://mserv.trl.mei.co.jp/SMML/program05.dtd">
```

```
<contents contents-id="urn:upi:mei:12345" title="GRAND SUMO TOURNAMENT" runtime="11:42">
```

```
  <mediaobject caption="YOKOZUNA" type="audiovideo" format="mpeg1-system"
```

```
    locator="http://mserv.trl.mei.co.jp/MPEG/sumou01.mpg">
```

```
    <channel caption="GRAND SUMO TOURNAMENT audiovideo" priority="5">
```

```
      <pointofview keyword="audiovideo" priority="5">
```

**FIG. 104**

```

    <context Locator="http://mserv.tri.mei.co.jp/SMML/sumou01.xml"/>
  </channel>
</mediaobject>

<mediaobject caption="YOKOZUNA" type="video" format="mpeg2-vid
eo"
  locator="http://mserv.tri.mei.co.jp/MPEG/sumou01v.mpg">
  <channel caption="GRAND SUMO TOURNAMENT video" priority=
"3">
    <pointofview keyword="video" priority="5">
      <grpoflayers>
        <layer layer-id="video-normal" priority="5"/>
        <layer layer-id="video-high" priority="3"/>
      </grpoflayers>
      <context Locator="http://mserv.tri.mei.co.jp/SMML/sumou01v.xml"/
>
    </channel>
  </mediaobject>

  <mediaobject caption="YOKOZUNA" type="audio" format="mpeg-audi
o"
    locator="http://mserv.tri.mei.co.jp/MPEG/sumou01a.mpg">
    <channel caption="GROUND SUMO TOURNAMENT Japanese" pri
ority="4">
      <pointofview keyword="Japanese" priority="5">
        <context Locator="http://mserv.tri.mei.co.jp/SMML/sumou01as.xml"
/>
      </channel>
    <channel caption="GROUND SMO TOURNAMENT English" priorit
y="3">
      <pointofview keyword="English" priority="5">
        <context Locator="http://mserv.tri.mei.co.jp/SMML/sumou01am.xml
"/>
      </channel>
    </mediaobject>
  </contents>

```

FIG. 105




FIG. 106




FIG. 107




FIG. 108







FIG. 109




*FIG. 110*

FIG. 111




FIG. 112




FIG. 113




FIG. 114




FIG. 115




FIG. 116






FIG. 117




FIG. 118




FIG. 119




FIG. 120




FIG. 121




FIG. 122




FIG. 123




FIG. 124




FIG. 125







FIG. 126



**FIG. 127**

DTD TO BE USED FOR DESCRIBING, IN XML, ONE EXAMPLE OF DATA INTO WHICH CONTEXT DESCRIPTION DATA AND STRUCTURE DESCRIPTION DATA ARE MERGED

```
<?xml version="1.0"?>
```

```
<!ENTITY % types "(audio|video|audiovideo)">
```

```
<!ENTITY % formats "(mpeg1-system|mpeg1-video|mpeg-audio|mpeg2-ps|mpeg2-ts|mpeg2-video)">
```

```
<!ELEMENT contents (mediaobject+)>
```

```
<!ATTLIST contents
  contents-id CDATA #REQUIRED
  title       CDATA #REQUIRED
  runtime     NMTOKEN #REQUIRED>
```

```
<!ELEMENT mediaobject (channel+)>
```

```
<!ATTLIST mediaobject
  caption CDATA #IMPLIED
  type    %types; "audiovideo"
  format  %formats; #REQUIRED
  seq     NMTOKEN #REQUIRED
  locator CDATA #REQUIRED>
```

```
<!ELEMENT channel (pointofview*,grpoflayer?, context)>
```

```
<!ATTLIST channel
  caption CDATA #IMPLIED
  priority NMTOKEN #REQUIRED>
```

```
<!ELEMENT pointofview EMPTY>
```

```
<!ATTLIST pointofview
  keyword CDATA #REQUIRED
  priority NMTOKEN #REQUIRED>
```

```
<!ELEMENT grpoflayer (layer+)>
```

```
<!ELEMENT layer EMPTY>
```

```
<!ATTLIST layer
  layer-id CDATA #REQUIRED
  priority NMTOKEN #REQUIRED>
```

```
<!ELEMENT context (section+)>
```

```
<!ELEMENT section (section+|segment+)>
```

```
<!ATTLIST section
  caption CDATA #IMPLIED
  priority NMTOKEN #REQUIRED>
```

```
<!ELEMENT segment EMPTY>
```

```
<!ATTLIST segment
  start CDATA #REQUIRED
  end   CDATA #REQUIRED
  priority NMTOKEN #REQUIRED>
```

ONE EXAMPLE OF XML DOCUMENT INTO WHICH CONTEXT DESCRIPTION DATA AND PHYSICAL DESCRIPTION DATA ARE MERGED BY MEANS OF DTD

```
<?xml version="1.0" encoding="euc-jp"?>
```

```
<!DOCTYPE contents SYSTEM "http://mserv.tri.mei.co.jp/SMML/program05.dtd">
```

```

<contents contents-id="urn:upi:mei:12345" title="GROUND SUMO TOU
URNAMENT" runtime="11:42">
  <mediaobject caption="YOKOZUNA" type="audiovideo" format="mpeg
1-system"
    seq="1" locator="sumou01.mpg">
    <channel caption="GROUND SUMO TOURNAMENT audiovideo" p
riority="5">
      <pointofview keyword="audiovideo" priority="5">
        <context>
          <section caption="SUMO WRESTLER0 VS. SUMO WRESTLE
R1" priority="5">
            <section priority="1">
              <segment start="smpte=00:00:00:00" end="smpte=00:00:0
4:17" priority="1"/>
              <segment start="smpte=00:00:04:18" end="smpte=00:00:0
9:08" priority="1"/>
            </section>
            <section priority="2">
              <segment start="smpte=00:00:09:09" end="smpte=00:00:1
4:13" priority="2"/>
            </section>
            <section priority="3">
              <segment start="smpte=00:00:14:14" end="smpte=00:00:1
9:19" priority="3"/>
            </section>
            <section priority="1">
              <segment start="smpte=00:00:19:20" end="smpte=00:00:2
2:19" priority="1"/>
            </section>
            <section priority="3">
              <segment start="smpte=00:00:22:20" end="smpte=00:00:2
8:10" priority="3"/>
              <segment start="smpte=00:00:28:11" end="smpte=00:00:3
0:28" priority="3"/>
              <segment start="smpte=00:00:30:29" end="smpte=00:00:4
3:11" priority="3"/>
            </section>
            <section priority="2">
              <segment start="smpte=00:00:43:12" end="smpte=00:00:4
6:20" priority="2"/>
            </section>
            <section priority="3">
              <segment start="smpte=00:00:46:21" end="smpte=00:00:5
7:09" priority="3"/>
            </section>
          </section>
        </context>
      </pointofview>
    </channel>
  </mediaobject>
</contents>

```

*FIG. 129*

```

    <section priority="2">
      <segment start="smpte=00:00:57:10" end="smpte=00:01:0
0:28" priority="2"/>
    </section>
    <section priority="4">
      <segment start="smpte=00:01:00:29" end="smpte=00:01:1
4:14" priority="4"/>
    </section>
    <section priority="2">
      <segment start="smpte=00:01:14:15" end="smpte=00:01:2
4:20" priority="2"/>
    </section>
    <section priority="3">
      <segment start="smpte=00:01:24:21" end="smpte=00:01:3
9:26" priority="3"/>
    </section>
    <section priority="2">
      <segment start="smpte=00:01:39:27" end="smpte=00:01:5
2:09" priority="2"/>
      <segment start="smpte=00:01:52:10" end="smpte=00:02:0
2:16" priority="2"/>
      <segment start="smpte=00:02:02:17" end="smpte=00:02:3
1:09" priority="2"/>
      <segment start="smpte=00:02:31:10" end="smpte=00:02:4
7:18" priority="3"/>
    </section>
    <section priority="1">
      <segment start="smpte=00:02:47:19" end="smpte=00:02:5
9:03" priority="1"/>
      <segment start="smpte=00:02:59:04" end="smpte=00:03:0
7:14" priority="1"/>
    </section>
    <section priority="2">
      <segment start="smpte=00:03:07:15" end="smpte=00:03:1
3:28" priority="2"/>
      <segment start="smpte=00:03:13:29" end="smpte=00:03:2
1:28" priority="2"/>
      <segment start="smpte=00:03:21:29" end="smpte=00:03:3
3:15" priority="2"/>
      <segment start="smpte=00:03:33:16" end="smpte=00:03:4
7:00" priority="2"/>
      <segment start="smpte=00:03:47:01" end="smpte=00:03:5
8:14" priority="2"/>

```

```

                <segment start="smpte=00:03:58:15" end="smpte=00:04:1
2:27" priority="2"/>
            </section>
            <section priority="3">
                <segment start="smpte=00:04:12:28" end="smpte=00:04:2
0:01" priority="3"/>
            </section>
            <section priority="4">
                <segment start="smpte=00:04:20:02" end="smpte=00:04:3
1:05" priority="4"/>
                <segment start="smpte=00:04:31:06" end="smpte=00:04:3
4:28" priority="4"/>
                <segment start="smpte=00:04:34:29" end="smpte=00:04:3
7:06" priority="4"/>
            </section>
            <section priority="5">
                <segment start="smpte=00:04:37:07" end="smpte=00:04:5
7:05" priority="5"/>
            </section>
            <section priority="5">
                <segment start="smpte=00:04:57:06" end="smpte=00:05:0
0:02" priority="5"/>
                <segment start="smpte=00:05:00:03" end="smpte=00:05:0
2:06" priority="4"/>
            </section>
            <section priority="2">
                <segment start="smpte=00:05:02:07" end="smpte=00:05:0
4:16" priority="2"/>
            </section>
            <section priority="4">
                <segment start="smpte=00:05:04:17" end="smpte=00:05:1
3:25" priority="4"/>
                <segment start="smpte=00:05:13:26" end="smpte=00:05:1
7:01" priority="4"/>
                <segment start="smpte=00:05:17:02" end="smpte=00:05:2
3:21" priority="3"/>
                <segment start="smpte=00:05:23:22" end="smpte=00:05:4
4:15" priority="4"/>
                <segment start="smpte=00:05:44:16" end="smpte=00:05:5
0:27" priority="4"/>
                <segment start="smpte=00:05:50:28" end="smpte=00:06:0
8:15" priority="4"/>
                <segment start="smpte=00:06:08:16" end="smpte=00:06:1
8:05" priority="4"/>

```

**FIG. 131**

```

        <segment start="smpte=00:06:18:06" end="smpte=00:06:2
4:04" priority="4"/>
        <segment start="smpte=00:06:24:05" end="smpte=00:06:4
1:04" priority="4"/>
        </section>
    </section>
</context>
</channel>
</mediaobject>
<mediaobject caption="YOKOZUNA" type="audiovideo" format="mpeg
1-system"
    seq="2" locator="sumou02.mpg">
    <channel caption="GROUND SUMO TOURNAMENT audiovideo" p
riority="5">
        <pointofview keyword="audiovideo" priority="5">
            <context>
                <section caption="SUMO WRESTLER2 VS. SUMO WRESTLE
R3" priority="4">
                    <section priority="4">
                        <segment start="smpte=00:00:00:00" end="smpte=00:00:4
2:24" priority="4"/>
                        </section>
                        <section priority="3">
                            <segment start="smpte=00:00:42:25" end="smpte=00:00:5
7:21" priority="3"/>
                            </section>
                            <section priority="2">
                                <segment start="smpte=00:00:57:22" end="smpte=00:01:2
1:26" priority="1"/>
                                <segment start="smpte=00:01:21:27" end="smpte=00:01:2
8:02" priority="2"/>
                                <segment start="smpte=00:01:28:03" end="smpte=00:01:3
5:17" priority="2"/>
                                <segment start="smpte=00:01:35:18" end="smpte=00:01:4
3:21" priority="2"/>
                                <segment start="smpte=00:01:43:22" end="smpte=00:02:0
0:02" priority="2"/>
                                <segment start="smpte=00:02:00:03" end="smpte=00:02:2
1:05" priority="2"/>
                                <segment start="smpte=00:02:21:06" end="smpte=00:02:2
9:06" priority="2"/>
                                <segment start="smpte=00:02:29:07" end="smpte=00:02:4
5:27" priority="2"/>
                                <segment start="smpte=00:02:45:28" end="smpte=00:02:4
9:20" priority="2"/>


```

```

        </section>
        <section priority="3">
            <segment start="smpte=00:02:49:21" end="smpte=00:02:5
8:26" priority="3"/>
            <segment start="smpte=00:02:58:27" end="smpte=00:03:0
2:25" priority="3"/>
        </section>
        <section priority="4">
            <segment start="smpte=00:03:02:26" end="smpte=00:03:0
4:27" priority="4"/>
        </section>
        <section priority="5">
            <segment start="smpte=00:03:04:28" end="smpte=00:03:3
0:11" priority="5"/>
        </section>
        <section priority="4">
            <segment start="smpte=00:03:30:12" end="smpte=00:03:3
3:27" priority="4"/>
        </section>
        <section priority="3">
            <segment start="smpte=00:03:33:28" end="smpte=00:03:3
9:01" priority="3"/>
            <segment start="smpte=00:03:39:02" end="smpte=00:03:5
4:21" priority="3"/>
        </section>
        <section priority="4">
            <segment start="smpte=00:03:54:22" end="smpte=00:04:2
3:17" priority="4"/>
        </section>
        <section priority="3">
            <segment start="smpte=00:04:23:18" end="smpte=00:05:1
0:17" priority="3"/>
        </section>
        <section priority="1">
            <segment start="smpte=00:05:10:18" end="smpte=00:05:2
3:29" priority="1"/>
        </section>
    </section>
</context>
</channel>
</mediaobject>
</contents>

```

FIG. 133





*FIG. 134*

{ VIEW1, VIEW2, VIEW3,  $\cdots$ ,  
VIEW<sub>n</sub> }

*FIG. 135*

{ 5, 0, 2,  $\cdots$ , 0 }

# DTD FOR DESCRIBING CONTEXT DESCRIPTION DATA THROUGH USE OF XML

```
<?xml version="1.0"?>
```

```
<!ELEMENT contents      (povlist?,section+)>
<!ATTLIST contents      contents-id CDATA      #REQUIRED
                        title         CDATA      #REQUIRED
                        runtime       NMTOKEN    #REQUIRED>

<!ELEMENT povlist       (pointofview+)>
<!ELEMENT pointofview    EMPTY>
<!ATTLIST pointofview    keyword      CDATA      #REQUIRED>
<!ELEMENT section       (powvalue?,(section+|segment+))>
<!ATTLIST section        caption      CDATA      #IMPLIED>
<!ELEMENT povvalue       (priority+)>
<!ELEMENT priority       EMPTY>
<!ELEMENT segment       (powvalue?)>
<!ATTLIST segment        start        CDATA      #REQUIRED
                        end           CDATA      #REQUIRED>

<!ELEMENT pointofview    EMPTY>
<!ATTLIST pointofview    keyword      CDATA      #REQUIRED
                        priority      NMTOKEN    #REQUIRED>
```

## ONE EXAMPLE OF XML DOCUMENT RELATING TO CONTEXT DESCRIPTION DATA PREPARED BY DTD

```
<?xml version="1.0" encoding="euc-jp"?>
<!DOCTYPE contents SYSTEM "http://mserv.trl.mei.co.jp/SMML/progra
m10.dtd">
```

```
<contents contents-id="urn:upi:nhk:12345" title= "GROUND SUMO
TOURNAMMENT" runtime="11:42">
  <povlist>
    <pointofview keyword="SUMO WRESTLER0"/>
    <pointofview keyword="SUMO WRESTLER1"/>
    <pointofview keyowrd="SUMO WRESTLER2"/>
    <pointofview keyword="SUMO WRESTLER3"/>
    <pointofview keyword="SUMO WRESTLER4"/>
    <pointofview keyword="SUMO WRESTLER5"/>
    <pointofview keyword="SUMO NAME"/>
    <pointofview keyword="WIN-LOSS RECORD"/>
    <pointofview keyword="VIDEO"/>
  </povlist>
  <section caption="SUMO WRESTLER0 VS. SUMO WRESTLER1">
```

```
<povvalue>
  <priority value="5"/>
  <priority value="5"/>
  <priority value="0"/>
  <priority value="0"/>
  <priority value="0"/>
  <priority value="0"/>
  <priority value="0"/>
  <priority value="0"/>
  <priority value="0"/>
</povvalue>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="1"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:00:00:00" end="smpte=00:00:04:17">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="1"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <segment start="smpte=00:00:04:18" end="smpte=00:00:09:08">
    </segment>
  </section>
<section>
  <povvalue>
    <priority value="4"/>
```

```
<priority value="0"/>
<priority value="0"/>
<priority value="0"/>
<priority value="0"/>
<priority value="0"/>
<priority value="0"/>
<priority value="0"/>
<priority value="0"/>
</povvalue>
<segment start="smpte=00:00:09:09" end="smpte=00:00:14:13">
</segment>
</section>
<section>
  <povvalue>
    <priority value="3"/>
    <priority value="3"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:00:14:14" end="smpte=00:00:19:19">
    <povvalue>
      <priority value="3"/>
      <priority value="3"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
  <segment start="smpte=00:00:19:20" end="smpte=00:00:22:19">
    <povvalue>
      <priority value="1"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
```

```
<priority value="0"/>
<priority value="0"/>
<priority value="0"/>
<priority value="0"/>
</povvalue>
</segment>
<segment start="smpte=00:00:22:20" end="smpte=00:00:28:10">
  <povvalue>
    <priority value="3"/>
    <priority value="3"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
</section>
<section>
  <povvalue>
    <priority value="3"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="2"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:00:28:11" end="smpte=00:00:30:28">
    <povvalue>
      <priority value="3"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="2"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
```

```
</segment>
<segment start="smpte=00:00:30:29" end="smpte=00:00:43:11">
  <povvalue>
    <priority value="3"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="1"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
</section>
<section>
  <povvalue>
    <priority value="3"/>
    <priority value="3"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:00:43:12" end="smpte=00:00:46:20">
    <povvalue>
      <priority value="3"/>
      <priority value="3"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="4"/>
```

```
<priority value="0"/>
<priority value="0"/>
<priority value="0"/>
<priority value="0"/>
<priority value="0"/>
<priority value="0"/>
<priority value="0"/>
<priority value="0"/>
</povvalue>
<segment start="smpte=00:00:46:21" end="smpte=00:00:57:09">
  <povvalue>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
</section>
<section>
  <povvalue>
    <priority value="3"/>
    <priority value="3"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:00:57:10" end="smpte=00:01:00:28">
    <povvalue>
      <priority value="3"/>
      <priority value="3"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
```

```

        <priority value="0"/>
        <priority value="0"/>
    </povvalue>
</segment>
</section>
<section>
    <povvalue>
        <priority value="5"/>
        <priority value="5"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="4"/>
        <priority value="0"/>
        <priority value="0"/>
    </povvalue>
    <segment start="smpte=00:01:00:29" end="smpte=00:01:14:14">
        <povvalue>
            <priority value="5"/>
            <priority value="5"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="4"/>
            <priority value="0"/>
            <priority value="0"/>
        </povvalue>
    </segment>
</section>
<section>
    <povvalue>
        <priority value="2"/>
        <priority value="2"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
    </povvalue>
    <segment start="smpte=00:01:14:15" end="smpte=00:01:24:20">

```



```
</segment>
</section>
<section>
  <povvalue>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="3"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:01:24:21" end="smpte=00:01:39:26">
    <povvalue>
      <priority value="4"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="3"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:01:39:27" end="smpte=00:01:52:09">
    <povvalue>
      <priority value="4"/>
      <priority value="1"/>
    </povvalue>
  </segment>
</section>
```



```
<priority value="0"/>
<priority value="0"/>
</povvalue>
</segment>
</section>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="2"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:02:47:19" end="smpte=00:02:59:03">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="2"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="2"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:02:59:04" end="smpte=00:03:07:14">
```

```
<powvalue>
  <priority value="0"/>
  <priority value="0"/>
  <priority value="0"/>
  <priority value="0"/>
  <priority value="0"/>
  <priority value="2"/>
  <priority value="0"/>
  <priority value="0"/>
  <priority value="0"/>
</powvalue>
</segment>
</section>
<section>
  <powvalue>
    <priority value="3"/>
    <priority value="3"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </powvalue>
  <segment start="smpte=00:03:07:15" end="smpte=00:03:13:28">
    <powvalue>
      <priority value="3"/>
      <priority value="3"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </powvalue>
  </segment>
  <segment start="smpte=00:03:13:29" end="smpte=00:03:21:28">
    <powvalue>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </powvalue>
  </segment>
</section>
```

[illegible]

```
</povvalue>
</segment>
<segment start="smpte=00:03:58:15" end="smpte=00:04:12:27">
  <povvalue>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
</section>
<section>
  <povvalue>
    <priority value="5"/>
    <priority value="5"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:04:12:28" end="smpte=00:04:20:01">
    <povvalue>
      <priority value="4"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
  <segment start="smpte=00:04:20:02" end="smpte=00:04:31:05">
    <povvalue>
      <priority value="4"/>
```

```
<priority value="0"/>
<priority value="0"/>
<priority value="0"/>
<priority value="0"/>
<priority value="0"/>
<priority value="0"/>
<priority value="0"/>
<priority value="0"/>
</povvalue>
</segment>
<segment start="smpte=00:04:31:06" end="smpte=00:04:34:28">
  <povvalue>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:04:34:29" end="smpte=00:04:37:06">
  <povvalue>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:04:37:07" end="smpte=00:04:57:05">
  <povvalue>
    <priority value="5"/>
    <priority value="5"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
```

```
<priority value="0"/>
<priority value="0"/>
<priority value="0"/>
</povvalue>
</segment>
<segment start="smpte=00:04:57:06" end="smpte=00:05:00:02">
  <povvalue>
    <priority value="5"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:05:00:03" end="smpte=00:05:02:06">
  <povvalue>
    <priority value="5"/>
    <priority value="5"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
</section>
<section>
  <segment start="smpte=00:05:02:07" end="smpte=00:05:04:16">
    </segment>
  </section>
<section>
  <povvalue>
    <priority value="5"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
```



```
<priority value="0"/>
<priority value="0"/>
<priority value="0"/>
</povvalue>
<segment start="smpte=00:05:04:17" end="smpte=00:05:13:25">
  <povvalue>
    <priority value="5"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:05:13:26" end="smpte=00:05:17:01">
  <povvalue>
    <priority value="5"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:05:17:02" end="smpte=00:05:23:21">
  <povvalue>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
</section>
```

```
<section>
  <povvalue>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
  </povvalue>
  <segment start="smpte=00:05:23:22" end="smpte=00:05:44:15">
    <pointofview keyword="VIDEO" priority="4"/>
    <pointofview keyword="SUMO WRESTLER0" priority="5"/>
    <pointofview keyword="SUMO WRESTLER1" priority="4"/>
    <povvalue>
      <priority value="5"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="4"/>
    </povvalue>
  </segment>
  <segment start="smpte=00:05:44:16" end="smpte=00:05:50:27">
    <povvalue>
      <priority value="5"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="4"/>
    </povvalue>
  </segment>
  <segment start="smpte=00:05:50:28" end="smpte=00:06:08:15">
    <povvalue>
      <priority value="4"/>
    </povvalue>
  </segment>
```

```
<priority value="4"/>
<priority value="0"/>
<priority value="0"/>
<priority value="0"/>
<priority value="0"/>
<priority value="0"/>
<priority value="0"/>
<priority value="4"/>
</povvalue>
</segment>
<segment start="smpte=00:06:08:16" end="smpte=00:06:18:05">
  <povvalue>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
  </povvalue>
</segment>
</section>
<section>
  <povvalue>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:06:18:06" end="smpte=00:06:24:04">
  </segment>
  <segment start="smpte=00:06:24:05" end="smpte=00:06:41:04">
  </segment>
</section>
</section>
<section caption="SUMO WRESTLER2 VS. SUMO WRESTLER3">
  <pointofview keyword="SUMO WRESTLER2" priority="5"/>
```

```
<pointofview keyword="SUMO WRESTLER3" priority="5"/>
<povvalue>
  <priority value="0"/>
  <priority value="0"/>
  <priority value="5"/>
  <priority value="5"/>
  <priority value="0"/>
  <priority value="0"/>
  <priority value="0"/>
  <priority value="0"/>
  <priority value="0"/>
</povvalue>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="5"/>
    <priority value="5"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:06:18:05" end="smpte=00:07:00:24">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="5"/>
      <priority value="5"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="4"/>
```

[illegible]

```
</segment>
</section>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:07:39:27" end="smpte=00:07:46:02">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:07:46:03" end="smpte=00:07:53:17">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
```

```
<priority value="4"/>
<priority value="4"/>
<priority value="0"/>
<priority value="0"/>
<priority value="0"/>
<priority value="0"/>
<priority value="0"/>
</povvalue>
</segment>
</section>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:07:53:18" end="smpte=00:08:01:21">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
```

```
<priority value="0"/>
<priority value="0"/>
<priority value="0"/>
</povvalue>
<segment start="smpte=00:08:01:22" end="smpte=00:08:18:02">
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:08:18:03" end="smpte=00:08:39:05">
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:08:39:06" end="smpte=00:08:47:06">
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:08:47:07" end="smpte=00:09:03:27">
```



```
<powvalue>
  <priority value="0"/>
  <priority value="0"/>
  <priority value="4"/>
  <priority value="0"/>
  <priority value="0"/>
  <priority value="0"/>
  <priority value="0"/>
  <priority value="0"/>
  <priority value="0"/>
</powvalue>
</segment>
<segment start="smpte=00:09:03:28" end="smpte=00:09:07:20">
  <powvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </powvalue>
</segment>
<segment start="smpte=00:09:07:21" end="smpte=00:09:16:26">
  <powvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </powvalue>
</segment>
<segment start="smpte=00:09:16:27" end="smpte=00:09:20:25">
  <powvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
```

```
<priority value="0"/>
<priority value="0"/>
<priority value="0"/>
<priority value="0"/>
</povvalue>
</segment>
<segment start="smpte=00:09:20:26" end="smpte=00:09:22:27">
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
</section>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="5"/>
    <priority value="5"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:09:22:28" end="smpte=00:09:48:11">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="5"/>
      <priority value="5"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
```

```

</segment>
<segment start="smpte=00:09:48:12" end="smpte=00:09:51:27">
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="5"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:09:51:28" end="smpte=00:09:57:01">
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:09:57:02" end="smpte=00:10:12:21">
  <pointofview keyword="SUMO WRESTLER2" priority="4"/>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
</section>
<section>
  <povvalue>

```

```
<priority value="0"/>
<priority value="0"/>
<priority value="4"/>
<priority value="4"/>
<priority value="0"/>
<priority value="0"/>
<priority value="0"/>
<priority value="0"/>
<priority value="4"/>
</povvalue>
<segment start="smpte=00:10:12:22" end="smpte=00:10:41:17">
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
  </povvalue>
</segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER2" priority="5"/>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="5"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:10:41:18" end="smpte=00:11:28:17">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="5"/>
      <priority value="0"/>
      <priority value="0"/>
```

```
<priority value="0"/>
<priority value="0"/>
<priority value="0"/>
<priority value="0"/>
</povvalue>
</segment>
</section>
<section>
  <segment start="smpte=00:11:28:18" end="smpte=00:11:41:29">
    </segment>
  </section>
</section>
</contents>
```

# DTD FOR DESCRIBING CONTEXT DESCRIPTION DATA THROUGH USE OF XML

```
<?xml version="1.0"?>
```

```

<!ELEMENT contents      (povlist?,section+)>
<!ATTLIST  contents      contents-id  CDATA      #REQUIRED
                                title      CDATA      #REQUIRED
                                runtime      NMTOKEN  #REQUIRED>

<!ELEMENT povlist      (pointofview+)>
<!ELEMENT pointofview  EMPTY>
<!ATTLIST  pointofview  keyword      CDATA      #REQUIRED>
<!ELEMENT section      (povvalue?,(section+|segment+))>
<!ATTLIST  section      caption      CDATA      #IMPLIED>
<!ELEMENT povvalue     (priority+)>
<!ELEMENT priority     EMPTY>
<!ELEMENT segment      (povvalue?,dominant-data)>
<!ATTLIST  segment      start        CDATA      #REQUIRED
                                end        CDATA      #REQUIRED>

<!ELEMENT pointofview  EMPTY>
<!ATTLIST  pointofview  keyword      CDATA      #REQUIRED
                                priority  NMTOKEN  #REQUIRED>

<!ELEMENT dominant-data EMPTY>
<!ATTLIST  dominant-data frame-no     NMTOKEN  #IMPLIED
                                start    CDATA      #IMPLIED
                                end      CDATA      #IMPLIED
                                locator   CDATA      #IMPLIED>

```

## ONE EXAMPLE OF XML DOCUMENT RELATING TO CONTEXT DESCRIPTION DATA PREPARED BY DTD

```
<?xml version="1.0" encoding="euc-jp"?>
```

```
<!DOCTYPE contents SYSTEM "http://mserv.tri.mei.co.jp/SMML/program11.dtd">
```

```
<contents contents-id="urn:upi:nhk:12345" title="GROUND SUMO TOURNAMENT" runtime="11:42">
```

```
<povlist>
```

```
<pointofview keyword="SUMO WRESTLER0"/>
```

```
<pointofview keyword="SUMO WRESTLER1"/>
```

```
<pointofview keyword="SUMO WRESTLER2"/>
```

```
<pointofview keyword="SUMO WRESTLER3"/>
```

```
<pointofview keyword="SUMO WRESTLER4"/>
```

```

    <pointofview keyword="SUMO WRESTLER5"/>
    <pointofview keyword="SUMO NAME"/>
    <pointofview keyword="WIN-LOSS RECORD"/>
    <pointofview keyword="VIDEO"/>
  </povlist>
  <section caption="SUMO WRESTLER0 VS. SUMO WRESTLER1">
    <povvalue>
      <priority value="5"/>
      <priority value="5"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
    <section>
      <povvalue>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="1"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
      </povvalue>
      <segment start="smpte=00:00:00:00" end="smpte=00:00:04:17">
        <povvalue>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="1"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
        </povvalue>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp01.gi
f"/>

```

## FIG. 166

```

    <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma01.m
p3"/>
    </segment>
  </section>
  <section>
    <segment start="smpte=00:00:04:18" end="smpte=00:00:09:08">
      <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp02.gi
f"/>
      <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma02.m
p3"/>
      </segment>
    </section>
    <section>
      <povvalue>
        <priority value="4"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
      </povvalue>
      <segment start="smpte=00:00:09:09" end="smpte=00:00:14:13">
        <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp03.gi
f"/>
        <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma03.m
p3"/>
      </segment>
    </section>
    <section>
      <povvalue>
        <priority value="3"/>
        <priority value="3"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
      </povvalue>
      <segment start="smpte=00:00:14:14" end="smpte=00:00:19:19">

```



[illegible]

## FIG. 168

```

        </povvalue>
        <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp06.gi
f"/>
        <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma06.m
p3"/>
        </segment>
    </section>
    <section>
        <povvalue>
            <priority value="3"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="2"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
        </povvalue>
        <segment start="smpte=00:00:28:11" end="smpte=00:00:30:28">
            <povvalue>
                <priority value="3"/>
                <priority value="0"/>
                <priority value="0"/>
                <priority value="0"/>
                <priority value="2"/>
                <priority value="0"/>
                <priority value="0"/>
                <priority value="0"/>
                <priority value="0"/>
            </povvalue>
            <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp07.gi
f"/>
            <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma07.m
p3"/>
        </segment>
    <segment start="smpte=00:00:30:29" end="smpte=00:00:43:11">
        <povvalue>
            <priority value="3"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="1"/>
            <priority value="0"/>

```

```

        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
    </povvalue>
    <dominant-data start="smpte=00:00:31:20" end="smpte=00:00:
35:05"/>
    </segment>
</section>
<section>
    <povvalue>
        <priority value="3"/>
        <priority value="3"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
    </povvalue>
    <segment start="smpte=00:00:43:12" end="smpte=00:00:46:20">
        <povvalue>
            <priority value="3"/>
            <priority value="3"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
        </povvalue>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp08.gi
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma08.m
p3"/>
    </segment>
</section>
<section>
    <povvalue>
        <priority value="4"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>

```

## FIG. 170

```

    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:00:46:21" end="smpte=00:00:57:09">
    <povvalue>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
    <dominant-data start="smpte=00:00:47:00" end="smpte=00:00:
50:03"/>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="3"/>
    <priority value="3"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:00:57:10" end="smpte=00:01:00:28">
    <povvalue>
      <priority value="3"/>
      <priority value="3"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>

```

## FIG. 171

```

        <priority value="0"/>
    </povvalue>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp09.gi
f"/>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma09.m
p3"/>
    </segment>
</section>
<section>
    <povvalue>
        <priority value="5"/>
        <priority value="5"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="4"/>
        <priority value="0"/>
        <priority value="0"/>
    </povvalue>
    <segment start="smpte=00:01:00:29" end="smpte=00:01:14:14">
        <povvalue>
            <priority value="5"/>
            <priority value="5"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="4"/>
            <priority value="0"/>
            <priority value="0"/>
        </povvalue>
        <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp10.gi
f"/>
        <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma10.m
p3"/>
    </segment>
</section>
<section>
    <povvalue>
        <priority value="2"/>
        <priority value="2"/>
        <priority value="0"/>
        <priority value="0"/>

```

```

    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </powvalue>
  <segment start="smpte=00:01:14:15" end="smpte=00:01:24:20">
    <dominant-data start="smpte=00:01:15:20" end="smpte=00:01:
19:03"/>
  </segment>
</section>
<section>
  <powvalue>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="3"/>
    <priority value="0"/>
  </powvalue>
  <segment start="smpte=00:01:24:21" end="smpte=00:01:39:26">
    <powvalue>
      <priority value="4"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="3"/>
      <priority value="0"/>
    </powvalue>
    <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp11.gi
f"/>
    <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma11.m
p3"/>
  </segment>
</section>
<section>
  <powvalue>
    <priority value="4"/>

```

```

    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:01:39:27" end="smpte=00:01:52:09">
    <povvalue>
      <priority value="4"/>
      <priority value="1"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp12.gi
f"/>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma12.m
p3"/>
  </segment>
  <segment start="smpte=00:01:52:10" end="smpte=00:02:02:16">
    <povvalue>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
    <dominant-data start="smpte=00:01:52:20" end="smpte=00:01:
55:10"/>
  </segment>
  <segment start="smpte=00:02:02:17" end="smpte=00:02:31:09">
    <povvalue>
      <priority value="4"/>

```

```

        <priority value="4"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
    </povvalue>
    <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp13.gi
f"/>
    <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma13.m
p3"/>
</segment>
<segment start="smpte=00:02:31:10" end="smpte=00:02:47:18">
    <povvalue>
        <priority value="4"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
    </povvalue>
    <dominant-data start="smpte=00:02:31:20" end="smpte=00:02:
38:11"/>
</segment>
</section>
<section>
    <povvalue>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="2"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
    </povvalue>
    <segment start="smpte=00:02:47:19" end="smpte=00:02:59:03">
        <povvalue>

```



```

        <priority value="0"/>
        <priority value="0"/>
        <priority value="2"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
    </povvalue>
    <dominant-data start="smpte=00:02:47:25" end="smpte=00:02:
48:02"/>
    </segment>
</section>
<section>
    <povvalue>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="2"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
    </povvalue>
    <segment start="smpte=00:02:59:04" end="smpte=00:03:07:14">
        <povvalue>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="2"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
        </povvalue>
        <dominant-data start="smpte=00:02:59:10" end="smpte=00:03:
02:12"/>
    </segment>
</section>
<section>
    <povvalue>
        <priority value="3"/>

```

```

    <priority value="3"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:03:07:15" end="smpte=00:03:13:28">
    <povvalue>
      <priority value="3"/>
      <priority value="3"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
    <dominant-data start="smpte=00:03:08:12" end="smpte=00:03:
10:20"/>
  </segment>
  <segment start="smpte=00:03:13:29" end="smpte=00:03:21:28">
    <povvalue>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
    <dominant-data start="smpte=00:03:15:10" end="smpte=00:03:
18:03"/>
  </segment>
  <segment start="smpte=00:03:21:29" end="smpte=00:03:33:15">
    <povvalue>
      <priority value="0"/>
      <priority value="4"/>
      <priority value="0"/>

```

```

        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
    </povvalue>
    <dominant-data start="smpte=00:03:22:08" end="smpte=00:03:
25:02"/>
</segment>
<segment start="smpte=00:03:33:16" end="smpte=00:03:47:00">
    <povvalue>
        <priority value="4"/>
        <priority value="4"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
    </povvalue>
    <dominant-data start="smpte=00:03:35:09" end="smpte=00:03:
38:21"/>
</segment>
<segment start="smpte=00:03:47:01" end="smpte=00:03:58:14">
    <povvalue>
        <priority value="4"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
    </povvalue>
    <dominant-data start="smpte=00:03:48:00" end="smpte=00:03:
51:17"/>
</segment>
<segment start="smpte=00:03:58:15" end="smpte=00:04:12:27">
    <povvalue>
        <priority value="0"/>
        <priority value="4"/>

```

```

        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        </povvalue>
        <dominant-data start="smpte=00:03:59:02" end="smpte=00:04:
01:07"/>
    </segment>
</section>
<section>
    <povvalue>
        <priority value="5"/>
        <priority value="5"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
    </povvalue>
    <segment start="smpte=00:04:12:28" end="smpte=00:04:20:01">
        <povvalue>
            <priority value="4"/>
            <priority value="4"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
        </povvalue>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp14.gi
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma14.m
p3"/>
    </segment>
    <segment start="smpte=00:04:20:02" end="smpte=00:04:31:05">
        <povvalue>
            <priority value="4"/>
            <priority value="0"/>

```

```

        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
    </povvalue>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp15.gi
f"/>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma15.m
p3"/>
</segment>
<segment start="smpte=00:04:31:06" end="smpte=00:04:34:28">
    <povvalue>
        <priority value="0"/>
        <priority value="4"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
    </povvalue>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp16.gi
f"/>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma16.m
p3"/>
</segment>
<segment start="smpte=00:04:34:29" end="smpte=00:04:37:06">
    <povvalue>
        <priority value="4"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
    </povvalue>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp17.gi
f"/>

```

```

    <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma17.m
p3"/>
  </segment>
  <segment start="smpte=00:04:37:07" end="smpte=00:04:57:05">
    <povvalue>
      <priority value="5"/>
      <priority value="5"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp18.gi
f"/>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma18.m
p3"/>
  </segment>
  <segment start="smpte=00:04:57:06" end="smpte=00:05:00:02">
    <povvalue>
      <priority value="5"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp19.gi
f"/>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma19.m
p3"/>
  </segment>
  <segment start="smpte=00:05:00:03" end="smpte=00:05:02:06">
    <povvalue>
      <priority value="5"/>
      <priority value="5"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>

```

```

        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
    </povvalue>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp20.gi
f"/>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma20.m
p3"/>
    </segment>
</section>
<section>
    <segment start="smpte=00:05:02:07" end="smpte=00:05:04:16">
        <dominant-data start="smpte=00:05:03:02" end="smpte=00:05:
02:20"/>
    </segment>
</section>
<section>
    <povvalue>
        <priority value="5"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
    </povvalue>
    <segment start="smpte=00:05:04:17" end="smpte=00:05:13:25">
        <povvalue>
            <priority value="5"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
        </povvalue>
        <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp21.gi
f"/>

```

```

    <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma21.m
p3"/>
  </segment>
  <segment start="smpte=00:05:13:26" end="smpte=00:05:17:01">
    <povvalue>
      <priority value="5"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp22.gi
f"/>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma22.m
p3"/>
  </segment>
  <segment start="smpte=00:05:17:02" end="smpte=00:05:23:21">
    <povvalue>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp23.gi
f"/>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma23.m
p3"/>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
  
```



```

    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
  </powvalue>
  <segment start="smpte=00:05:23:22" end="smpte=00:05:44:15">
    <pointofview keyword="VIDEO" priority="4"/>
    <pointofview keyword="SUMO WRESTLER0" priority="5"/>
    <pointofview keyword="SUMO WRESTLER1" priority="4"/>
    <powvalue>
      <priority value="5"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="4"/>
    </powvalue>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp24.gi
f"/>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma24.m
p3"/>
  </segment>
  <segment start="smpte=00:05:44:16" end="smpte=00:05:50:27">
    <powvalue>
      <priority value="5"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="4"/>
    </powvalue>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp25.gi
f"/>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma25.m
p3"/>
  </segment>
  <segment start="smpte=00:05:50:28" end="smpte=00:06:08:15">

```

[illegible]

```

    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:06:18:06" end="smpte=00:06:24:04">
    <dominant-data start="smpte=00:06:18:25" end="smpte=00:06:
20:17"/>
  </segment>
  <segment start="smpte=00:06:24:05" end="smpte=00:06:41:04">
    <dominant-data start="smpte=00:06:25:01" end="smpte=00:06:
30:11"/>
  </segment>
</section>
</section>
<section caption="SUMO WRESTLER2 VS. SUMO WRESTLER3">
  <pointofview keyword="SUMO WRESTLER2" priority="5"/>
  <pointofview keyword="SUMO WRESTLER3" priority="5"/>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="5"/>
    <priority value="5"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <section>
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="5"/>
      <priority value="5"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
    <segment start="smpte=00:06:18:05" end="smpte=00:07:00:24">
      <povvalue>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="5"/>
        <priority value="5"/>

```

```

        <priority value="0"/>
        <priority value="0"/>
        <priority value="4"/>
        <priority value="0"/>
        <priority value="0"/>
    </povvalue>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp28.gi
f"/>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma28.m
p3"/>
    </segment>
</section>
<section>
    <povvalue>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="4"/>
        <priority value="4"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="3"/>
        <priority value="0"/>
    </povvalue>
    <segment start="smpte=00:07:00:25" end="smpte=00:07:15:21">
        <povvalue>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="4"/>
            <priority value="4"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="3"/>
            <priority value="0"/>
        </povvalue>
        <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp29.gi
f"/>
        <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma29.m
p3"/>
    </segment>
</section>
<section>
    <povvalue>

```

```

    <priority value="2"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:07:15:22" end="smpte=00:07:39:26">
    <povvalue>
      <priority value="2"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
    <dominant-data start="smpte=00:07:16:05" end="smpte=00:07:
18:23"/>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:07:39:27" end="smpte=00:07:46:02">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="4"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>

```

```

        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
    </povvalue>
    <dominant-data start="smpte=00:07:41:28" end="smpte=00:07:
43:01"/>
</segment>
</section>
<section>
    <povvalue>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="4"/>
        <priority value="4"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
    </povvalue>
    <segment start="smpte=00:07:46:03" end="smpte=00:07:53:17">
        <povvalue>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="4"/>
            <priority value="4"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
        </povvalue>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp30.gi
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma30.m
p3"/>
    </segment>
</section>
<section>
    <povvalue>
        <priority value="0"/>
        <priority value="0"/>

```

```

    <priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:07:53:18" end="smpte=00:08:01:21">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
    <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp31.gi
f"/>
    <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma31.m
p3"/>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:08:01:22" end="smpte=00:08:18:02">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="4"/>
      <priority value="4"/>

```

```

        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
    </povvalue>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp32.gi
f"/>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma32.m
p3"/>
</segment>
<segment start="smpte=00:08:18:03" end="smpte=00:08:39:05">
    <povvalue>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="4"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
    </povvalue>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp33.gi
f"/>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma33.m
p3"/>
</segment>
<segment start="smpte=00:08:39:06" end="smpte=00:08:47:06">
    <povvalue>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="4"/>
        <priority value="4"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
    </povvalue>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp34.gi
f"/>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma34.m
p3"/>

```



```

</segment>
<segment start="smpte=00:08:47:07" end="smpte=00:09:03:27">
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp35.gi
f"/>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma35.m
p3"/>
  </segment>
  <segment start="smpte=00:09:03:28" end="smpte=00:09:07:20">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp36.gi
f"/>
      <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma36.m
p3"/>
    </segment>
    <segment start="smpte=00:09:07:21" end="smpte=00:09:16:26">
      <povvalue>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="4"/>
        <priority value="4"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
      </povvalue>
    </segment>
  </segment>

```

```

        <priority value="0"/>
        <priority value="0"/>
    </povvalue>
    <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp37.gi
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma37.m
p3"/>
    </segment>
    <segment start="smpte=00:09:16:27" end="smpte=00:09:20:25">
        <povvalue>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="4"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
        </povvalue>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp38.gi
f"/>
            <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma38.m
p3"/>
        </segment>
        <segment start="smpte=00:09:20:26" end="smpte=00:09:22:27">
            <povvalue>
                <priority value="0"/>
                <priority value="0"/>
                <priority value="0"/>
                <priority value="4"/>
                <priority value="0"/>
                <priority value="0"/>
                <priority value="0"/>
                <priority value="0"/>
            </povvalue>
            <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp39.gi
f"/>
                <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma39.m
p3"/>
            </segment>
        </section>
    </section>

```

```

    <powvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="5"/>
      <priority value="5"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </powvalue>
    <segment start="smpte=00:09:22:28" end="smpte=00:09:48:11">
      <powvalue>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="5"/>
        <priority value="5"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
      </powvalue>
      <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp40.gi
f"/>
      <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma40.m
p3"/>
    </segment>
    <segment start="smpte=00:09:48:12" end="smpte=00:09:51:27">
      <powvalue>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="5"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
      </powvalue>
      <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp41.gi
f"/>
      <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma41.m
p3"/>

```

```

</segment>
<segment start="smpte=00:09:51:28" end="smpte=00:09:57:01">
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp42.gi
f"/>
    <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma42.m
p3"/>
</segment>
<segment start="smpte=00:09:57:02" end="smpte=00:10:12:21">
  <pointofview keyword="SUMO WRESTLER2" priority="4"/>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp43.gi
f"/>
    <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma43.m
p3"/>
</segment>
</section>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>

```

```

    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
  </povvalue>
  <segment start="smpte=00:10:12:22" end="smpte=00:10:41:17">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="4"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="4"/>
    </povvalue>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp44.gi
f"/>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma44.m
p3"/>
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER2" priority="5"/>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="5"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:10:41:18" end="smpte=00:11:28:17">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="5"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>

```

# FIG. 196


186/242

```

    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp45.gi
f"/>
  <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma45.m
p3"/>
    </segment>
  </section>
  <section>
    <segment start="smpte=00:11:28:18" end="smpte=00:11:41:29">
      <dominant-data start="smpte=00:11:29:13" end="smpte=11:32:2
1"/>
    </segment>
  </section>
</section>
</contents>
```

FIG. 197

187/242



# DTD FOR DESCRIBING CONTEXT DESCRIPTION DATA THROUGH USE OF XML

```
<?xml version="1.0"?>
```

<!ELEMENT contents	(povlist?,section+)>		
<!ATTLIST contents	contents-id	CDATA	#REQUIRED
	title	CDATA	#REQUIRED
	runtime	NMTOKEN	#REQUIRED>
<!ELEMENT povlist	(pointofview+)>		
<!ELEMENT pointofview	EMPTY>		
<!ATTLIST pointofview	keyword	CDATA	#REQUIRED>
<!ELEMENT section	(povlist?,povvalue?,(section+ segment+))>		
<!ATTLIST section	caption	CDATA	#IMPLIED>
<!ELEMENT povvalue	(priority+)>		
<!ELEMENT priority	EMPTY>		
<!ELEMENT segment	(povlist?,povvalue?)>		
<!ATTLIST segment	start	CDATA	#REQUIRED
	end	CDATA	#REQUIRED>

## ONE EXAMPLE OF XML DOCUMENT RELATING TO CONTEXT DESCRIPTION DATA PREPARED BY DTD

```
<?xml version="1.0" encoding="euc-jp"?>
<!DOCTYPE contents SYSTEM "http://mserv.tri.mei.co.jp/SMML/program12.dtd">
```

```
<contents contents-id="urn:upi:nhk:12345" title="GROUND SUMO
TOURNAMENT" runtime="11:42">
  <povlist>
    <pointofview keyword="SUMO WRESTLER0"/>
    <pointofview keyword="SUMO WRESTLER1"/>
    <pointofview keyword="SUMO WRESTLER2"/>
    <pointofview keyword="SUMO WRESTLER3"/>
    <pointofview keyword="SUMO WRESTLER4"/>
    <pointofview keyword="SUMO WRESTLER5"/>
    <pointofview keyword="SUMO NAME"/>
    <pointofview keyword="WIN-LOSS RECORD"/>
    <pointofview keyword="VIDEO"/>
  </povlist>
  <section caption="SUMO WRESTLER0 VS. SUMO WRESTLER1">
    <povlist>
      <pointofview keyword="SUMO WRESTLER0"/>
```



```
<pointofview keyword="SUMO WRESTLER1"/>
</povlist>
<povvalue>
  <priority value="5"/>
  <priority value="5"/>
</povvalue>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="1"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:00:00:00" end="smpte=00:00:04:17">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="1"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <segment start="smpte=00:00:04:18" end="smpte=00:00:09:08">
    </segment>
  </section>
<section>
  <povlist>
    <pointofview keyword="SUMO WRESTLER0"/>
    <pointofview keyword="SUMO WRESTLER1"/>
  </povlist>
  <povvalue>
    <priority value="4"/>
    <priority value="0"/>
```

```
</povvalue>
<segment start="smpte=00:00:09:09" end="smpte=00:00:14:13">
  </segment>
</section>
<section>
  <povlist>
    <pointofview keyword="SUMO WRESTLER0"/>
    <pointofview keyword="SUMO WRESTLER1"/>
  </povlist>
  <povvalue>
    <priority value="3"/>
    <priority value="3"/>
  </povvalue>
  <segment start="smpte=00:00:14:14" end="smpte=00:00:19:19">
    <povlist>
      <pointofview keyword="SUMO WRESTLER0"/>
      <pointofview keyword="SUMO WRESTLER1"/>
    </povlist>
    <povvalue>
      <priority value="3"/>
      <priority value="3"/>
    </povvalue>
  </segment>
  <segment start="smpte=00:00:19:20" end="smpte=00:00:22:19">
    <povvalue>
      <priority value="1"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
  <segment start="smpte=00:00:22:20" end="smpte=00:00:28:10">
    <povlist>
      <pointofview keyword="SUMO WRESTLER0"/>
      <pointofview keyword="SUMO WRESTLER1"/>
    </povlist>
    <povvalue>
      <priority value="3"/>
      <priority value="3"/>
    </povvalue>
  </segment>

```

```
</povvalue>
</segment>
</section>
<section>
  <povvalue>
    <priority value="3"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="2"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:00:28:11" end="smpte=00:00:30:28">
    <povvalue>
      <priority value="3"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="2"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
  <segment start="smpte=00:00:30:29" end="smpte=00:00:43:11">
    <povvalue>
      <priority value="3"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="1"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povlist>
```

```
<pointofview keyword="SUMO WRESTLER0"/>
<pointofview keyword="SUMO WRESTLER1"/>
</povlist>
<povvalue>
  <priority value="3"/>
  <priority value="3"/>
</povvalue>
<segment start="smpte=00:00:43:12" end="smpte=00:00:46:20">
  <povlist>
    <pointofview keyword="SUMO WRESTLER0"/>
    <pointofview keyword="SUMO WRESTLER1"/>
  </povlist>
  <povvalue>
    <priority value="3"/>
    <priority value="3"/>
  </povvalue>
</segment>
</section>
<section>
  <povvalue>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:00:46:21" end="smpte=00:00:57:09">
    <povvalue>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
```

*FIG. 203*

```

<section>
  <povlist>
    <pointofview keyword="SUMO WRESTLER0"/>
    <pointofview keyword="SUMO WRESTLER1"/>
  </povlist>
  <povvalue>
    <priority value="3"/>
    <priority value="3"/>
  </povvalue>
  <segment start="smpte=00:00:57:10" end="smpte=00:01:00:28">
    <povlist>
      <pointofview keyword="SUMO WRESTLER0"/>
      <pointofview keyword="SUMO WRESTLER1"/>
    </povlist>
    <povvalue>
      <priority value="3"/>
      <priority value="3"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="5"/>
    <priority value="5"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:01:00:29" end="smpte=00:01:14:14">
    <povvalue>
      <priority value="5"/>
      <priority value="5"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>

```

```
</segment>
</section>
<section>
  <povlist>
    <pointofview keyword="SUMO WRESTLER0"/>
    <pointofview keyword="SUMO WRESTLER1"/>
  </povlist>
  <povvalue>
    <priority value="2"/>
    <priority value="2"/>
  </povvalue>
  <segment start="smpte=00:01:14:15" end="smpte=00:01:24:20">
  </segment>
</section>
<section>
  <povvalue>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="3"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:01:24:21" end="smpte=00:01:39:26">
    <povvalue>
      <priority value="4"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="3"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povlist>
    <pointofview keyword="SUMO WRESTLER0"/>
    <pointofview keyword="SUMO WRESTLER1"/>
```

```
</povlist>
<povvalue>
  <priority value="4"/>
  <priority value="4"/>
</povvalue>
<segment start="smpte=00:01:39:27" end="smpte=00:01:52:09">
  <povlist>
    <pointofview keyword="SUMO WRESTLER0"/>
    <pointofview keyword="SUMO WRESTLER1"/>
  </povlist>
  <povvalue>
    <priority value="4"/>
    <priority value="1"/>
  </povvalue>
</segment>
<segment start="smpte=00:01:52:10" end="smpte=00:02:02:16">
  <povvalue>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:02:02:17" end="smpte=00:02:31:09">
  <povlist>
    <pointofview keyword="SUMO WRESTLER0"/>
    <pointofview keyword="SUMO WRESTLER1"/>
  </povlist>
  <povvalue>
    <priority value="4"/>
    <priority value="4"/>
  </povvalue>
</segment>
<segment start="smpte=00:02:31:10" end="smpte=00:02:47:18">
  <povvalue>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
```

```

    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
</section>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="2"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:02:47:19" end="smpte=00:02:59:03">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="2"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="2"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>

```





```
<priority value="0"/>
<priority value="0"/>
</povvalue>
</segment>
<segment start="smpte=00:03:21:29" end="smpte=00:03:33:15">
  <povvalue>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:03:33:16" end="smpte=00:03:47:00">
  <povlist>
    <pointofview keyword="SUMO WRESTLER0"/>
    <pointofview keyword="SUMO WRESTLER1"/>
  </povlist>
  <povvalue>
    <priority value="4"/>
    <priority value="4"/>
  </povvalue>
</segment>
<segment start="smpte=00:03:47:01" end="smpte=00:03:58:14">
  <povvalue>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:03:58:15" end="smpte=00:04:12:27">
  <povvalue>
    <priority value="0"/>
    <priority value="4"/>
```

```

    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
</section>
<section>
  <povlist>
    <pointofview keyword="SUMO WRESTLER0"/>
    <pointofview keyword="SUMO WRESTLER1"/>
  </povlist>
  <povvalue>
    <priority value="5"/>
    <priority value="5"/>
  </povvalue>
  <segment start="smpte=00:04:12:28" end="smpte=00:04:20:01">
    <povlist>
      <pointofview keyword="SUMO WRESTLER0"/>
      <pointofview keyword="SUMO WRESTLER1"/>
    </povlist>
    <povvalue>
      <priority value="4"/>
      <priority value="4"/>
    </povvalue>
  </segment>
  <segment start="smpte=00:04:20:02" end="smpte=00:04:31:05">
    <povvalue>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
  <segment start="smpte=00:04:31:06" end="smpte=00:04:34:28">
    <povvalue>

```

[illegible]

```
<priority value="0"/>
</povvalue>
</segment>
<segment start="smpte=00:05:00:03" end="smpte=00:05:02:06">
  <povlist>
    <pointofview keyword="SUMO WRESTLER0"/>
    <pointofview keyword="SUMO WRESTLER1"/>
  </povlist>
  <povvalue>
    <priority value="5"/>
    <priority value="5"/>
  </povvalue>
</segment>
</section>
<section>
  <segment start="smpte=00:05:02:07" end="smpte=00:05:04:16">
    </segment>
  </section>
<section>
  <povvalue>
    <priority value="5"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:05:04:17" end="smpte=00:05:13:25">
    <povvalue>
      <priority value="5"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
  <segment start="smpte=00:05:13:26" end="smpte=00:05:17:01">
```

```
<povvalue>
  <priority value="5"/>
  <priority value="0"/>
  <priority value="0"/>
  <priority value="0"/>
  <priority value="0"/>
  <priority value="0"/>
  <priority value="0"/>
  <priority value="0"/>
  <priority value="0"/>
</povvalue>
</segment>
<segment start="smpte=00:05:17:02" end="smpte=00:05:23:21">
  <povvalue>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
</section>
<section>
  <povvalue>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
  </povvalue>
  <segment start="smpte=00:05:23:22" end="smpte=00:05:44:15">
    <povvalue>
      <priority value="5"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
```

```
<priority value="0"/>
<priority value="0"/>
<priority value="0"/>
<priority value="0"/>
<priority value="4"/>
</povvalue>
</segment>
<segment start="smpte=00:05:44:16" end="smpte=00:05:50:27">
  <povvalue>
    <priority value="5"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
  </povvalue>
</segment>
<segment start="smpte=00:05:50:28" end="smpte=00:06:08:15">
  <povvalue>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
  </povvalue>
</segment>
<segment start="smpte=00:06:08:16" end="smpte=00:06:18:05">
  <povvalue>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
  </povvalue>
</segment>
```

```

        </povvalue>
    </segment>
</section>
<section>
    <povvalue>
        <priority value="4"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
    </povvalue>
    <segment start="smpte=00:06:18:06" end="smpte=00:06:24:04">
    </segment>
    <segment start="smpte=00:06:24:05" end="smpte=00:06:41:04">
    </segment>
</section>
</section>
<section caption="SUMO WRESTLER2 VS. SUMO WRESTLER3">
    <povlist>
        <pointofview keyowrd="SUMO WRESTLER2"/>
        <pointofview keyword="SUMO WRESTLER3"/>
    </povlist>
    <povvalue>
        <priority value="5"/>
        <priority value="5"/>
    </povvalue>
    <section>
        <povvalue>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="5"/>
            <priority value="5"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="4"/>
            <priority value="0"/>
            <priority value="0"/>
        </povvalue>
        <segment start="smpte=00:06:18:05" end="smpte=00:07:00:24">
            <povvalue>

```



```
<priority value="0"/>
<priority value="0"/>
<priority value="5"/>
<priority value="5"/>
<priority value="0"/>
<priority value="0"/>
<priority value="4"/>
<priority value="0"/>
<priority value="0"/>
</povvalue>
</segment>
</section>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="3"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:07:00:25" end="smpte=00:07:15:21">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="4"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="3"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="2"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</section>
```

```

    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:07:15:22" end="smpte=00:07:39:26">
    <povvalue>
      <priority value="2"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:07:39:27" end="smpte=00:07:46:02">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>

```

```
</segment>
</section>
<section>
  <povlist>
    <pointofview keyowrd="SUMO WRESTLER2"/>
    <pointofview keyword="SUMO WRESTLER3"/>
  </povlist>
  <povvalue>
    <priority value="4"/>
    <priority value="4"/>
  </povvalue>
  <segment start="smpte=00:07:46:03" end="smpte=00:07:53:17">
    <povlist>
      <pointofview keyowrd="SUMO WRESTLER2"/>
      <pointofview keyword="SUMO WRESTLER3"/>
    </povlist>
    <povvalue>
      <priority value="4"/>
      <priority value="4"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:07:53:18" end="smpte=00:08:01:21">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
```

```
<priority value="0"/>
</povvalue>
</segment>
</section>
<section>
  <povlist>
    <pointofview keyowrd="SUMO WRESTLER2"/>
    <pointofview keyword="SUMO WRESTLER3"/>
  </povlist>
  <povvalue>
    <priority value="4"/>
    <priority value="4"/>
  </povvalue>
  <segment start="smpte=00:08:01:22" end="smpte=00:08:18:02">
    <povlist>
      <pointofview keyowrd="SUMO WRESTLER2"/>
      <pointofview keyword="SUMO WRESTLER3"/>
    </povlist>
    <povvalue>
      <priority value="4"/>
      <priority value="4"/>
    </povvalue>
  </segment>
  <segment start="smpte=00:08:18:03" end="smpte=00:08:39:05">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
  <segment start="smpte=00:08:39:06" end="smpte=00:08:47:06">
    <povlist>
      <pointofview keyowrd="SUMO WRESTLER2"/>
      <pointofview keyword="SUMO WRESTLER3"/>
    </povlist>
    <povvalue>
      <priority value="4"/>
      <priority value="4"/>
    </povvalue>
  </segment>
</section>
```

```
</povvalue>
</segment>
<segment start="smpte=00:08:47:07" end="smpte=00:09:03:27">
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:09:03:28" end="smpte=00:09:07:20">
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:09:07:21" end="smpte=00:09:16:26">
  <povlist>
    <pointofview keyowrd="SUMO WRESTLER2"/>
    <pointofview keyword="SUMO WRESTLER3"/>
  </povlist>
  <povvalue>
    <priority value="4"/>
    <priority value="4"/>
  </povvalue>
</segment>
<segment start="smpte=00:09:16:27" end="smpte=00:09:20:25">
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
```

```
<priority value="0"/>
<priority value="0"/>
<priority value="0"/>
<priority value="0"/>
<priority value="0"/>
</povvalue>
</segment>
<segment start="smpte=00:09:20:26" end="smpte=00:09:22:27">
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
</section>
<section>
  <povlist>
    <pointofview keyowrd="SUMO WRESTLER2"/>
    <pointofview keyword="SUMO WRESTLER3"/>
  </povlist>
  <povvalue>
    <priority value="5"/>
    <priority value="5"/>
  </povvalue>
  <segment start="smpte=00:09:22:28" end="smpte=00:09:48:11">
    <povlist>
      <pointofview keyowrd="SUMO WRESTLER2"/>
      <pointofview keyword="SUMO WRESTLER3"/>
    </povlist>
    <povvalue>
      <priority value="5"/>
      <priority value="5"/>
    </povvalue>
  </segment>
  <segment start="smpte=00:09:48:12" end="smpte=00:09:51:27">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="5"/>
```

```

        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
    </povvalue>
</segment>
<segment start="smpte=00:09:51:28" end="smpte=00:09:57:01">
    <povlist>
        <pointofview keyowrd="SUMO WRESTLER2"/>
        <pointofview keyword="SUMO WRESTLER3"/>
    </povlist>
    <povvalue>
        <priority value="4"/>
        <priority value="4"/>
    </povvalue>
</segment>
<segment start="smpte=00:09:57:02" end="smpte=00:10:12:21">
    <povlist>
        <pointofview keyowrd="SUMO WRESTLER2"/>
        <pointofview keyword="SUMO WRESTLER3"/>
    </povlist>
    <povvalue>
        <priority value="4"/>
        <priority value="4"/>
    </povvalue>
</segment>
</section>
<section>
    <povvalue>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="4"/>
        <priority value="4"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="4"/>
    </povvalue>
    <segment start="smpte=00:10:12:22" end="smpte=00:10:41:17">
        <povvalue>
            <priority value="0"/>

```

```
<priority value="0"/>
<priority value="4"/>
<priority value="4"/>
<priority value="0"/>
<priority value="0"/>
<priority value="0"/>
<priority value="0"/>
<priority value="4"/>
</povvalue>
</segment>
</section>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="5"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:10:41:18" end="smpte=00:11:28:17">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="5"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <segment start="smpte=00:11:28:18" end="smpte=00:11:41:29">
    </segment>
  </section>
</section>
</contents>
```



# DTD FOR DESCRIBING CONTEXT DESCRIPTION DATA THROUGH USE OF XML

```
<?xml version="1.0"?>
```

```
<!ELEMENT contents      (povlist?,section+)>
<!ATTLIST  contents      contents-id  CDATA      #REQUIRED
              title        CDATA      #REQUIRED
              runtime       NMTOKEN   #REQUIRED>

<!ELEMENT povlist      (pointofview+)>
<!ELEMENT pointofview  EMPTY>
<!ATTLIST  pointofview  keyword      CDATA      #REQUIRED>
<!ELEMENT section      (povlist?,povvalue?,(section+|segment+))>
<!ATTLIST  section      caption      CDATA      #IMPLIED>
<!ELEMENT povvalue     (priority+)>
<!ELEMENT priority     EMPTY>
<!ELEMENT segment      (povlist?,povvalue?,dominant-data)>
<!ATTLIST  segment      start        CDATA      #REQUIRED
              end          CDATA      #REQUIRED>

<!ELEMENT dominant-data EMPTY>
<!ATTLIST  dominant-data frame-no    NMTOKEN   #IMPLIED
              start          CDATA      #IMPLIED
              end            CDATA      #IMPLIED
              locator         CDATA      #IMPLIED>
```

## ONE EXAMPLE OF XML DOCUMENT RELATING TO CONTEXT DESCRIPTION DATA PREPARED BY DTD

```
<?xml version="1.0" encoding="euc-jp"?>
<!DOCTYPE contents SYSTEM "http://mserv.tri.mei.co.jp/SMML/program13.dtd">
```

```
<contents contents-id="urn:upi:nhk:12345" title="GROUND SUMO
TOURNAMENT" runtime="11:42">
  <povlist>
    <pointofview keyword="SUMO WRESTLER0"/>
    <pointofview keyword="SUMO WRESTLER1"/>
    <pointofview keyword="SUMO WRESTLER2"/>
    <pointofview keyword="SUMO WRESTLER3"/>
    <pointofview keyword="SUMO WRESTLER4"/>
    <pointofview keyword="SUMO WRESTLER5"/>
    <pointofview keyword="SUMO NAME"/>
    <pointofview keyword="WIN-LOSS RECORD"/>
```

```

    <pointofview keyword="VIDEO"/>
  </povlist>
  <section caption="SUMO WRESTLER0 VS. SUMO WRESTLER1">
    <povlist>
      <pointofview keyword="SUMO WRESTLER0"/>
      <pointofview keyword="SUMO WRESTLER1"/>
    </povlist>
    <povvalue>
      <priority value="5"/>
      <priority value="5"/>
    </povvalue>
    <section>
      <povvalue>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="1"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
      </povvalue>
      <segment start="smpte=00:00:00:00" end="smpte=00:00:04:17">
        <povvalue>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="1"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
        </povvalue>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp01.gi
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma01.m
p3"/>
      </segment>
    </section>
  </section>
  <section>
    <segment start="smpte=00:00:04:18" end="smpte=00:00:09:08">

```

## FIG. 225

```

    <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp02.gi
f"/>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma02.m
p3"/>
    </segment>
  </section>
  <section>
    <povlist>
      <pointofview keyword="SUMO WRESTLER0"/>
      <pointofview keyword="SUMO WRESTLER1"/>
    </povlist>
    <povvalue>
      <priority value="4"/>
      <priority value="0"/>
    </povvalue>
    <segment start="smpte=00:00:09:09" end="smpte=00:00:14:13">
      <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp03.gi
f"/>
      <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma03.m
p3"/>
      </segment>
    </section>
    <section>
      <povlist>
        <pointofview keyword="SUMO WRESTLER0"/>
        <pointofview keyword="SUMO WRESTLER1"/>
      </povlist>
      <povvalue>
        <priority value="3"/>
        <priority value="3"/>
      </povvalue>
      <segment start="smpte=00:00:14:14" end="smpte=00:00:19:19">
        <povlist>
          <pointofview keyword="SUMO WRESTLER0"/>
          <pointofview keyword="SUMO WRESTLER1"/>
        </povlist>
        <povvalue>
          <priority value="3"/>
          <priority value="3"/>
        </povvalue>
        <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp04.gi
f"/>
        <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma04.m
p3"/>

```

```

</segment>
<segment start="smpte=00:00:19:20" end="smpte=00:00:22:19">
  <povvalue>
    <priority value="1"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp05.gi
f"/>
    <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma05.m
p3"/>
  </segment>
<segment start="smpte=00:00:22:20" end="smpte=00:00:28:10">
  <povlist>
    <pointofview keyword="SUMO WRESTLER0"/>
    <pointofview keyword="SUMO WRESTLER1"/>
  </povlist>
  <povvalue>
    <priority value="3"/>
    <priority value="3"/>
  </povvalue>
  <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp06.gi
f"/>
    <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma06.m
p3"/>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="3"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="2"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>

```

```

    </povvalue>
    <segment start="smpte=00:00:28:11" end="smpte=00:00:30:28">
      <povvalue>
        <priority value="3"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="2"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
      </povvalue>
      <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp07.gi
f"/>
      <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma07.m
p3"/>
    </segment>
    <segment start="smpte=00:00:30:29" end="smpte=00:00:43:11">
      <povvalue>
        <priority value="3"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="1"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
      </povvalue>
      <dominant-data start="smpte=00:00:31:20" end="smpte=00:00:
35:05"/>
    </segment>
  </section>
  <section>
    <povlist>
      <pointofview keyword="SUMO WRESTLER0"/>
      <pointofview keyword="SUMO WRESTLER1"/>
    </povlist>
    <povvalue>
      <priority value="3"/>
      <priority value="3"/>
    </povvalue>
    <segment start="smpte=00:00:43:12" end="smpte=00:00:46:20">

```

```

    <povlist>
      <pointofview keyword="SUMO WRESTLER0"/>
      <pointofview keyword="SUMO WRESTLER1"/>
    </povlist>
    <povvalue>
      <priority value="3"/>
      <priority value="3"/>
    </povvalue>
    <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp08.gi
f"/>
    <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma08.m
p3"/>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:00:46:21" end="smpte=00:00:57:09">
    <povvalue>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
    <dominant-data start="smpte=00:00:47:00" end="smpte=00:00:
50:03"/>
  </segment>
</section>
<section>
  <povlist>

```

```

        <pointofview keyword="SUMO WRESTLER0"/>
        <pointofview keyword="SUMO WRESTLER1"/>
    </povlist>
    <povvalue>
        <priority value="3"/>
        <priority value="3"/>
    </povvalue>
    <segment start="smpte=00:00:57:10" end="smpte=00:01:00:28">
        <povlist>
            <pointofview keyword="SUMO WRESTLER0"/>
            <pointofview keyword="SUMO WRESTLER1"/>
        </povlist>
        <povvalue>
            <priority value="3"/>
            <priority value="3"/>
        </povvalue>
        <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp09.gi
f"/>
        <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma09.m
p3"/>
    </segment>
</section>
<section>
    <povvalue>
        <priority value="5"/>
        <priority value="5"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="4"/>
        <priority value="0"/>
        <priority value="0"/>
    </povvalue>
    <segment start="smpte=00:01:00:29" end="smpte=00:01:14:14">
        <povvalue>
            <priority value="5"/>
            <priority value="5"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="4"/>
            <priority value="0"/>

```

```

    <priority value="0"/>
    </povvalue>
    <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp10.gi
f"/>
    <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma10.m
p3"/>
  </segment>
</section>
<section>
  <povlist>
    <pointofview keyword="SUMO WRESTLER0"/>
    <pointofview keyword="SUMO WRESTLER1"/>
  </povlist>
  <povvalue>
    <priority value="2"/>
    <priority value="2"/>
  </povvalue>
  <segment start="smpte=00:01:14:15" end="smpte=00:01:24:20">
    <dominant-data start="smpte=00:01:15:20" end="smpte=00:01:
19:03"/>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="3"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:01:24:21" end="smpte=00:01:39:26">
    <povvalue>
      <priority value="4"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="3"/>
    </povvalue>
  </segment>
</section>

```



[illegible]

```

    <dominant-data start="smpte=00:01:52:20" end="smpte=00:01:
55:10"/>
    </segment>
    <segment start="smpte=00:02:02:17" end="smpte=00:02:31:09">
        <povlist>
            <pointofview keyword="SUMO WRESTLER0"/>
            <pointofview keyword="SUMO WRESTLER1"/>
        </povlist>
        <povvalue>
            <priority value="4"/>
            <priority value="4"/>
        </povvalue>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp13.gi
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma13.m
p3"/>
    </segment>
    <segment start="smpte=00:02:31:10" end="smpte=00:02:47:18">
        <povvalue>
            <priority value="4"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
        </povvalue>
        <dominant-data start="smpte=00:02:31:20" end="smpte=00:02:
38:11"/>
    </segment>
</section>
<section>
    <povvalue>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="2"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
    </povvalue>

```

```

<segment start="smpte=00:02:47:19" end="smpte=00:02:59:03">
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="2"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <dominant-data start="smpte=00:02:47:25" end="smpte=00:02:
48:02"/>
</segment>
</section>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="2"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:02:59:04" end="smpte=00:03:07:14">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="2"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
    <dominant-data start="smpte=00:02:59:10" end="smpte=00:03:
02:12"/>
  </segment>
</section>

```

```

<section>
  <povlist>
    <pointofview keyword="SUMO WRESTLER0"/>
    <pointofview keyword="SUMO WRESTLER1"/>
  </povlist>
  <povvalue>
    <priority value="3"/>
    <priority value="3"/>
  </povvalue>
  <segment start="smpte=00:03:07:15" end="smpte=00:03:13:28">
    <povlist>
      <pointofview keyword="SUMO WRESTLER0"/>
      <pointofview keyword="SUMO WRESTLER1"/>
    </povlist>
    <povvalue>
      <priority value="3"/>
      <priority value="3"/>
    </povvalue>
    <dominant-data start="smpte=00:03:08:12" end="smpte=00:03:
10:20"/>
  </segment>
  <segment start="smpte=00:03:13:29" end="smpte=00:03:21:28">
    <povvalue>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
    <dominant-data start="smpte=00:03:15:10" end="smpte=00:03:
18:03"/>
  </segment>
  <segment start="smpte=00:03:21:29" end="smpte=00:03:33:15">
    <povvalue>
      <priority value="0"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>

```



```

        <priority value="0"/>
    </povvalue>
    <dominant-data start="smpte=00:03:59:02" end="smpte=00:04:
01:07"/>
    </segment>
</section>
<section>
    <povlist>
        <pointofview keyword="SUMO WRESTLER0"/>
        <pointofview keyword="SUMO WRESTLER1"/>
    </povlist>
    <povvalue>
        <priority value="5"/>
        <priority value="5"/>
    </povvalue>
    <segment start="smpte=00:04:12:28" end="smpte=00:04:20:01">
        <povlist>
            <pointofview keyword="SUMO WRESTLER0"/>
            <pointofview keyword="SUMO WRESTLER1"/>
        </povlist>
        <povvalue>
            <priority value="4"/>
            <priority value="4"/>
        </povvalue>
        <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp14.gi
f"/>
        <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma14.m
p3"/>
    </segment>
    <segment start="smpte=00:04:20:02" end="smpte=00:04:31:05">
        <povvalue>
            <priority value="4"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
        </povvalue>
        <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp15.gi
f"/>

```

```

    <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma15.m
p3"/>
  </segment>
  <segment start="smpte=00:04:31:06" end="smpte=00:04:34:28">
    <povvalue>
      <priority value="0"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp16.gi
f"/>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma16.m
p3"/>
  </segment>
  <segment start="smpte=00:04:34:29" end="smpte=00:04:37:06">
    <povvalue>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp17.gi
f"/>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma17.m
p3"/>
  </segment>
  <segment start="smpte=00:04:37:07" end="smpte=00:04:57:05">
    <povlist>
      <pointofview keyword="SUMO WRESTLER0"/>
      <pointofview keyword="SUMO WRESTLER1"/>
    </povlist>
    <povvalue>
      <priority value="5"/>

```

```

        <priority value="5"/>
    </povvalue>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp18.gi
f"/>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma18.m
p3"/>
</segment>
<segment start="smpte=00:04:57:06" end="smpte=00:05:00:02">
    <povvalue>
        <priority value="5"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
    </povvalue>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp19.gi
f"/>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma19.m
p3"/>
</segment>
<segment start="smpte=00:05:00:03" end="smpte=00:05:02:06">
    <povlist>
        <pointofview keyword="SUMO WRESTLER0"/>
        <pointofview keyword="SUMO WRESTLER1"/>
    </povlist>
    <povvalue>
        <priority value="5"/>
        <priority value="5"/>
    </povvalue>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp20.gi
f"/>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma20.m
p3"/>
</segment>
</section>
<section>
    <segment start="smpte=00:05:02:07" end="smpte=00:05:04:16">
        <dominant-data start="smpte=00:05:03:02" end="smpte=00:05:
02:20"/>
    </segment>

```



```

</section>
<section>
  <povvalue>
    <priority value="5"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:05:04:17" end="smpte=00:05:13:25">
    <povvalue>
      <priority value="5"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp21.gi
f"/>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma21.m
p3"/>
  </segment>
  <segment start="smpte=00:05:13:26" end="smpte=00:05:17:01">
    <povvalue>
      <priority value="5"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp22.gi
f"/>

```

```

    <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma22.m
p3"/>
  </segment>
  <segment start="smpte=00:05:17:02" end="smpte=00:05:23:21">
    <povvalue>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp23.gi
f"/>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma23.m
p3"/>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
  </povvalue>
  <segment start="smpte=00:05:23:22" end="smpte=00:05:44:15">
    <povvalue>
      <priority value="5"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="4"/>
    </povvalue>
  </segment>
</section>

```

```

        </povvalue>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp24.gi
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma24.m
p3"/>
    </segment>
    <segment start="smpte=00:05:44:16" end="smpte=00:05:50:27">
        <povvalue>
            <priority value="5"/>
            <priority value="4"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="4"/>
        </povvalue>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp25.gi
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma25.m
p3"/>
    </segment>
    <segment start="smpte=00:05:50:28" end="smpte=00:06:08:15">
        <povvalue>
            <priority value="4"/>
            <priority value="4"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="4"/>
        </povvalue>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp26.gi
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma26.m
p3"/>
    </segment>
    <segment start="smpte=00:06:08:16" end="smpte=00:06:18:05">
        <povvalue>
            <priority value="4"/>
            <priority value="4"/>

```

```

        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="4"/>
    </povvalue>
    <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp27.gi
f"/>
    <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma27.m
p3"/>
</segment>
</section>
<section>
    <povvalue>
        <priority value="4"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
    </povvalue>
    <segment start="smpte=00:06:18:06" end="smpte=00:06:24:04">
        <dominant-data start="smpte=00:06:18:25" end="smpte=00:06:
20:17"/>
    </segment>
    <segment start="smpte=00:06:24:05" end="smpte=00:06:41:04">
        <dominant-data start="smpte=00:06:25:01" end="smpte=00:06:
30:11"/>
    </segment>
</section>
</section>
<section caption="SUMO WRESTLER2 VS. SUMO WRESTLER3">
    <povlist>
        <pointofview keyowrd="SUMO WRESTLER2"/>
        <pointofview keyword="SUMO WRESTLER3"/>
    </povlist>
    <povvalue>
        <priority value="5"/>
        <priority value="5"/>

```

```

    </povvalue>
    <section>
      <povvalue>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="5"/>
        <priority value="5"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="4"/>
        <priority value="0"/>
        <priority value="0"/>
      </povvalue>
      <segment start="smpte=00:06:18:05" end="smpte=00:07:00:24">
        <povvalue>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="5"/>
          <priority value="5"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="4"/>
          <priority value="0"/>
          <priority value="0"/>
        </povvalue>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp28.gi
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma28.m
p3"/>
      </segment>
    </section>
    <section>
      <povvalue>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="4"/>
        <priority value="4"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="3"/>
        <priority value="0"/>
      </povvalue>
      <segment start="smpte=00:07:00:25" end="smpte=00:07:15:21">
        <povvalue>

```

```

        <priority value="0"/>
        <priority value="0"/>
        <priority value="4"/>
        <priority value="4"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="3"/>
        <priority value="0"/>
    </povvalue>
    <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp29.gi
f"/>
    <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma29.m
p3"/>
</segment>
</section>
<section>
    <povvalue>
        <priority value="2"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
    </povvalue>
    <segment start="smpte=00:07:15:22" end="smpte=00:07:39:26">
        <povvalue>
            <priority value="2"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
        </povvalue>
        <dominant-data start="smpte=00:07:16:05" end="smpte=00:07:
18:23"/>
    </segment>
</section>

```

```

<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:07:39:27" end="smpte=00:07:46:02">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
    <dominant-data start="smpte=00:07:41:28" end="smpte=00:07:
43:01"/>
  </segment>
</section>
<section>
  <povlist>
    <pointofview keyowrd="SUMO WRESTLER2"/>
    <pointofview keyword="SUMO WRESTLER3"/>
  </povlist>
  <povvalue>
    <priority value="4"/>
    <priority value="4"/>
  </povvalue>
  <segment start="smpte=00:07:46:03" end="smpte=00:07:53:17">
    <povlist>
      <pointofview keyowrd="SUMO WRESTLER2"/>
      <pointofview keyword="SUMO WRESTLER3"/>
    </povlist>
    <povvalue>
      <priority value="4"/>
      <priority value="4"/>
    </povvalue>
  </segment>
</section>

```

```

        </povvalue>
        <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp30.gi
f"/>
        <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma30.m
p3"/>
    </segment>
</section>
<section>
    <povvalue>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="4"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
    </povvalue>
    <segment start="smpte=00:07:53:18" end="smpte=00:08:01:21">
        <povvalue>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="4"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
        </povvalue>
        <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp31.gi
f"/>
        <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma31.m
p3"/>
    </segment>
</section>
<section>
    <povlist>
        <pointofview keyowrd="SUMO WRESTLER2"/>
        <pointofview keyword="SUMO WRESTLER3"/>
    </povlist>
    <povvalue>
        <priority value="4"/>
        <priority value="4"/>

```



```

    </povvalue>
    <segment start="smpte=00:08:01:22" end="smpte=00:08:18:02">
      <povlist>
        <pointofview keyowrd="SUMO WRESTLER2"/>
        <pointofview keyword="SUMO WRESTLER3"/>
      </povlist>
      <povvalue>
        <priority value="4"/>
        <priority value="4"/>
      </povvalue>
      <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp32.gi
f"/>
      <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma32.m
p3"/>
    </segment>
    <segment start="smpte=00:08:18:03" end="smpte=00:08:39:05">
      <povvalue>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="4"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
      </povvalue>
      <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp33.gi
f"/>
      <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma33.m
p3"/>
    </segment>
    <segment start="smpte=00:08:39:06" end="smpte=00:08:47:06">
      <povlist>
        <pointofview keyowrd="SUMO WRESTLER2"/>
        <pointofview keyword="SUMO WRESTLER3"/>
      </povlist>
      <povvalue>
        <priority value="4"/>
        <priority value="4"/>
      </povvalue>
      <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp34.gi
f"/>
      <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma34.m
p3"/>

```

```

</segment>
<segment start="smpte=00:08:47:07" end="smpte=00:09:03:27">
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp35.gi
f"/>
    <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma35.m
p3"/>
  </segment>
  <segment start="smpte=00:09:03:28" end="smpte=00:09:07:20">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
    <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp36.gi
f"/>
      <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma36.m
p3"/>
    </segment>
    <segment start="smpte=00:09:07:21" end="smpte=00:09:16:26">
      <povlist>
        <pointofview keyowrd="SUMO WRESTLER2"/>
        <pointofview keyword="SUMO WRESTLER3"/>
      </povlist>
      <povvalue>
        <priority value="4"/>
        <priority value="4"/>
      </povvalue>
    </segment>
  </segment>

```

```

    <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp37.gi
f"/>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma37.m
p3"/>
    </segment>
    <segment start="smpte=00:09:16:27" end="smpte=00:09:20:25">
        <povvalue>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="4"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
        </povvalue>
        <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp38.gi
f"/>
        <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma38.m
p3"/>
        </segment>
        <segment start="smpte=00:09:20:26" end="smpte=00:09:22:27">
            <povvalue>
                <priority value="0"/>
                <priority value="0"/>
                <priority value="0"/>
                <priority value="4"/>
                <priority value="0"/>
                <priority value="0"/>
                <priority value="0"/>
                <priority value="0"/>
                <priority value="0"/>
            </povvalue>
            <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp39.gi
f"/>
            <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma39.m
p3"/>
            </segment>
        </section>
    <section>
        <povlist>
            <pointofview keyowrd="SUMO WRESTLER2"/>
            <pointofview keyword="SUMO WRESTLER3"/>
        </povlist>

```

```

    <powvalue>
      <priority value="5"/>
      <priority value="5"/>
    </powvalue>
    <segment start="smpte=00:09:22:28" end="smpte=00:09:48:11">
      <povlist>
        <pointofview keyowrd="SUMO WRESTLER2"/>
        <pointofview keyword="SUMO WRESTLER3"/>
      </povlist>
      <powvalue>
        <priority value="5"/>
        <priority value="5"/>
      </powvalue>
      <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp40.gi
f"/>
      <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma40.m
p3"/>
    </segment>
    <segment start="smpte=00:09:48:12" end="smpte=00:09:51:27">
      <powvalue>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="5"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
      </powvalue>
      <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp41.gi
f"/>
      <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma41.m
p3"/>
    </segment>
    <segment start="smpte=00:09:51:28" end="smpte=00:09:57:01">
      <povlist>
        <pointofview keyowrd="SUMO WRESTLER2"/>
        <pointofview keyword="SUMO WRESTLER3"/>
      </povlist>
      <powvalue>
        <priority value="4"/>
        <priority value="4"/>
      </powvalue>

```

```

    <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp42.gi
f"/>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma42.m
p3"/>
    </segment>
    <segment start="smpte=00:09:57:02" end="smpte=00:10:12:21">
        <povlist>
            <pointofview keyowrd="SUMO WRESTLER2"/>
            <pointofview keyword="SUMO WRESTLER3"/>
        </povlist>
        <povvalue>
            <priority value="4"/>
            <priority value="4"/>
        </povvalue>
        <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp43.gi
f"/>
        <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma43.m
p3"/>
        </segment>
    </section>
    <section>
        <povvalue>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="4"/>
            <priority value="4"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="4"/>
        </povvalue>
        <segment start="smpte=00:10:12:22" end="smpte=00:10:41:17">
            <povvalue>
                <priority value="0"/>
                <priority value="0"/>
                <priority value="4"/>
                <priority value="4"/>
                <priority value="0"/>
                <priority value="0"/>
                <priority value="0"/>
                <priority value="0"/>
                <priority value="4"/>
            </povvalue>

```

```

    <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp44.gi
f"/>
    <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma44.m
p3"/>
    </segment>
  </section>
  <section>
    <powvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="5"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </powvalue>
    <segment start="smpte=00:10:41:18" end="smpte=00:11:28:17">
      <powvalue>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="5"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
      </powvalue>
      <dominant-data locator="http://mserv.tri.mei.co.jp/DMV/dmp45.gi
f"/>
      <dominant-data locator="http://mserv.tri.mei.co.jp/DMA/dma45.m
p3"/>
    </segment>
  </section>
  <section>
    <segment start="smpte=00:11:28:18" end="smpte=00:11:41:29">
      <dominant-data start="smpte=00:11:29:13" end="smpte=11:32:2
1"/>
    </segment>
  </section>
</section>
</contents>

```